

DevExpress Accessibility Conformance Report

International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: DevExpress Blazor Components v25.1

Report Date: July 2025

Product Description: The DevExpress Blazor Component Suite includes UI components/development libraries for Blazor Server, Blazor WebAssembly, and Blazor Hybrid hosting models.

Contact Information: management@devexpress.com

Notes: This document outlines accessibility conformance of DevExpress Blazor UI components. A separate ACR is available for DevExpress Reports for Blazor.

DevExpress Blazor Chart, Gauge UI components, Pivot Table, and Ribbon (DxBarGauge, DxChart, DxPivotTable, DxPieChart, DxPolarChart, DxSankey, DxSparkline, DxRangeSelector, and DxRibbon) do not offer UI Automation access to their graphic canvases and do not support keyboard navigation.

Visit devexpress.com to learn more about product features, capabilities, and pricing options. To explore the capabilities of DevExpress UI controls and development libraries in your project, please download our fully functional [30-day trial version](#). For technical assistance, refer to [online documentation](#).

Evaluation Methods Used: Conformance to accessibility standards has been evaluated by DevExpress using a combination of static analysis tools (WAVE Evaluation Tool, aXe) and manual testing with assistive technologies (NVDA).

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standards/guidelines:

| Standard/Guideline | Included In Report |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| Web Content Accessibility Guidelines 2.0 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Web Content Accessibility Guidelines 2.1 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Web Content Accessibility Guidelines 2.2 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018 | (Yes) |
| EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03) | (Yes) |

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.1.1 (Web) 10.1.1.1 (Non-web document) 11.1.1.1.1 (Open Functionality Software) 11.1.1.1.2 (Closed Functionality Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Components provide sufficient text alternatives for most instances of non-text content. Exception: DxRichEdit - alt text for images. |
| <p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.1 (Web) 10.1.2.1 (Non-web document) 11.1.2.1.1 (Open Functionality Software) 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Not Applicable | DevExpress Blazor components do not contain any prerecorded audio-only or video-only content. |

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------|
| <p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not Applicable | DevExpress Blazor components do not contain any prerecorded audio content. |
| <p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Not Applicable | DevExpress Blazor components do not contain any prerecorded video content. |

| Criteria | Conformance Level | Remarks and Explanations |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Partially Supports | DevExpress Blazor components expose their structure and relationships. This data can be determined programmatically by assistive technologies. |
| <p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Partially Supports | <p>Content of components is presented in a meaningful sequence.</p> <p>Exception: DxTagBox – selected tags are read before the editor.</p> <p>DevExpress Blazor components do not support right-to-left presentation.</p> |
| <p>1.3.3 Sensory Characteristics (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> | Supports | Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components. |

| Criteria | Conformance Level | Remarks and Explanations |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | <p>Information conveyed by color is also available in text.</p> <p>Exceptions:</p> <ul style="list-style-type: none"> DxCheckBox, DxListBox, DxRadioGroup — validation state is identified by red or green outline only. To meet this criterion, add a standard Blazor ValidationMessage or ValidationSummary component to display a validation message. Chart and Gauge components – series are identified by colors only. |
| <p><u>1.4.2 Audio Control</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) | Not Applicable | DevExpress Blazor components do not contain audio content. |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | <p>DevExpress Blazor components support standard keyboard navigation.</p> <p>Some components do not support keyboard navigation for specific tasks or in specific operation modes:</p> <ul style="list-style-type: none"> DxComboBox: custom command buttons are not accessible. DxDateEdit: custom command buttons are not accessible. DxDateRangePicker: input cannot be cleared; custom command buttons are not accessible. DxDropDownBox: custom command buttons are not accessible. DxMap: map elements are not accessible. DxPivotGrid: data area is not accessible. DxRadio: disabled buttons cannot be focused. DxRadioGroup: disabled buttons cannot be focused. DxRichEdit: the `Insert` drop-down menu in AI-related dialogs is not accessible. |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <ul style="list-style-type: none"> • DxSpinEdit: custom command buttons are not accessible. • DxTagBox: navigation between selected tags is not supported. • DxTimeEdit: custom command buttons are not accessible. <p>When a screen reader is enabled, the following elements switch keyboard navigation to scan mode:</p> <ul style="list-style-type: none"> • DxListBox: Select All button (if the search box is visible). • DxGrid: group panel. • DxTreeList: group panel. |
| <p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Partially Supports | <p>DxRibbon: color picker item is a keyboard trap.</p> <p>DxRichEdit and DxHtmlEditor components require users to press Shift + Alt + Arrow Up/Down to move focus away from document area.</p> |
| <p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> | Supports | DevExpress Blazor components do not contain built-in single-character shortcuts. |

| Criteria | Conformance Level | Remarks and Explanations |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 9.2.1.4 (Web) 10.2.1.4 (Non-web document) 11.2.1.4.1 (Open Functionality Software) 11.2.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | | <p>The DxMap component offers single-letter shortcuts that are only active when the component obtains focus.</p> |
| <p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | <p>DevExpress Blazor components do not implement time limits.</p> <p>DxToast component notifications automatically disappear after 5 seconds. Developers who use the control can disable toast auto-hide or allow users to freeze a toast notification (prevent it from disappearing) with a click.</p> |
| <p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) | Not Applicable | <p>DevExpress Blazor components do not include elements that move, blink, scroll, or auto-update.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------|
| <ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.3.1 (Web) 10.2.3.1 (Non-web document) 11.2.3.1 (Open Functionality Software) 11.2.3.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | DevExpress Blazor components do not include flashing content. |
| <p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.1 (Web) 10.2.4.1 (Non-web document) – Does not apply 11.2.4.1 (Open Functionality Software) – Does not apply 11.2.4.1 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) | Not Applicable | DevExpress Blazor components do not contain web pages. |

| Criteria | Conformance Level | Remarks and Explanations |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | | |
| 2.4.2 Page Titled (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.2 (Web) 10.2.4.2 (Non-web document) 11.2.4.2 (Open Functionality Software) - Does not apply 11.2.4.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Not Applicable | DevExpress Blazor components do not contain web pages. |
| 2.4.3 Focus Order (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) | Partially Supports | Elements inside DevExpress Blazor components receive focus in a meaningful order. Exceptions: <ul style="list-style-type: none"> DxAIChat: on a Copy button click, the focus moves from the component's nested element to the beginning of the page. DxDropDown: when the drop-down window closes, the focus moves from the component's nested elements to the beginning of the page. DxDropDownBox: the HideDropDown() method moves focus to the beginning of |

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 504.2 (Authoring Tool) 602.3 (Support Docs) | | <p>the page.</p> <ul style="list-style-type: none"> DxFlyout: when the drop-down window closes, the focus moves from the component's nested elements to the beginning of the page. DxPopup: when a popup appears, focus does not move to its first focusable element. A user must press Tab to move focus in the window. DxWindow: when a resizable window appears, focus does not move to the window. |
| <p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.4 (Web) 10.2.4.4 (Non-web document) 11.2.4.4 (Open Functionality Software) 11.2.4.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | <p>The purpose of links displayed in DevExpress Blazor components can be determined from the link text alone or from the programmatic context of the link.</p> |
| <p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.1 (Web) 10.2.5.1 (Non-web document) | Partially Supports | <p>DevExpress Blazor components do not rely on multipoint or path-based gestures.</p> <p>Exception: DxChart – two-finger pinch zoom.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 11.2.5.1 (Open Functionality Software) 11.2.5.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | |
| <p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.2 (Web) 10.2.5.2 (Non-web document) 11.2.5.2 (Open Functionality Software) 11.2.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Partially Supports | DevExpress Blazor components do not include non-cancelable pointer input actions. |
| <p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.5.3 (Web) 10.2.5.3 (Non-web document) 11.2.5.3.1 (Open Functionality Software) 11.2.5.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Partially Supports | <p>Elements in components use text presented visually in their accessible names.</p> <p>Exception:</p> <ul style="list-style-type: none"> DxSplitButton: drop-down button name. |
| <p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> | Not Applicable | DevExpress Blazor components do not contain functionality that can be operated by device motion or user motion. |

| Criteria | Conformance Level | Remarks and Explanations |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 9.2.5.4 (Web) 10.2.5.4 (Non-web document) 11.2.5.4 (Open Functionality Software) 11.2.5.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | |
| <p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.1.1 (Web) 10.3.1.1 (Non-web document) 11.3.1.1.1 (Open Functionality Software) 11.3.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Not Applicable | <p>DevExpress Blazor components do not contain web pages.</p> <p>It is up to site developers to provide default human language used for each web page.</p> |
| <p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.2.1 (Web) 10.3.2.1 (Non-web document) 11.3.2.1 (Open Functionality Software) 11.3.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) | Supports | <p>When a component receives focus, it does not initiate a change of context.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| 3.2.2 On Input (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.2.2 (Web) 10.3.2.2 (Non-web document) 11.3.2.2 (Open Functionality Software) 11.3.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Changing the component setting does not automatically cause a change of context. |
| 3.2.6 Consistent Help (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Not Applicable | DevExpress Blazor components do not contain help mechanisms. |
| 3.3.1 Error Identification (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.1 (Web) 10.3.3.1 (Non-web document) 11.3.3.1.1 (Open Functionality Software) 11.3.3.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) | Partially Supports | <p>If an input error is automatically detected, the editor identifies the error with a red outline.</p> <p>Exceptions: DxRadio and DxRadioGroup (Fluent theme).</p> <p>Customers can add standard ValidationMessage or ValidationSummary components to supply a textual error message to users.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | Auto correction exception: A user can enter a restricted value. For instance, a value may be out of range for a spin edit or a date may be disabled in a calendar. The editor automatically changes that value to the previous or to nearest correct value. This correction is not described to the user. |
| 3.3.2 Labels or Instructions (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.3.2 (Web) 10.3.3.2 (Non-web document) 11.3.3.2 (Open Functionality Software) 11.3.3.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | Input elements inside DevExpress Blazor components have associated labels or instructions. |
| 3.3.7 Redundant Entry (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Not Applicable | Components do not require re-entering information. |
| 4.1.1 Parsing (Level A) Applies to: WCAG 2.0 and 2.1 – Always answer ‘Supports’ WCAG 2.2 (obsolete and removed) - Does not apply EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) | Supports | Components have complete start and end tags, elements are nested based on their specifications, elements do not contain duplicate attributes, and any IDs are unique. |

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | <p>Name, role, and value are detectable and modifiable by assistive technology. Exceptions:</p> <ul style="list-style-type: none"> DxCalendar (standalone and within other controls): does not provide information about read-only and selected states. DxCheckBox: does not provide information about read-only state. DxFilterBuilder: not all name, role, and value attributes are specified. DxListBox: not all name, role, and value attributes are specified. DxPager: result of navigation (via arrow buttons or via the input element) is not reported to users. DxPdfViewer: not all name attributes are specified. DxPivotTable: not all name, role, and value attributes are specified. DxRadio: does not provide information about read-only state. DxRadioGroup: does not provide information about read-only state. DxRibbon: not all name, role, and value attributes are specified. |

| Criteria | Conformance Level | Remarks and Explanations |
|----------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <p>For a list of components that do not contain visually presented text in their names, refer to the following criterion:</p> <ul style="list-style-type: none"> 2.5.3 Label in Name. |

Table 2: Success Criteria, Level AA

| Criteria | Conformance Level | Remarks and Explanations |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------------------------------------------------------------------|
| <p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.2.4 (Web) 10.1.2.4 (Non-web document) 11.1.2.4 (Open Functionality Software) 11.1.2.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Not Applicable | DevExpress Blazor components do not contain any live audio content. |
| <p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> | Not Applicable | DevExpress Blazor components do not contain any prerecorded video content. |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <p><u>1.3.4 Orientation</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | Components do not restrict view and operation to a single display orientation. |
| <p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.1.3.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) | Supports | DevExpress Blazor components allow customers to specify attributes, including “type” and “autocomplete” attributes. |

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 – Does not apply | | |
| <p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.3 (Web) 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | <p>Most text meets minimum contrast requirements. Exceptions:</p> <ul style="list-style-type: none"> DxAIChat: the label that says "Ask AI Assistant..." Chart and Gauge components: label text. <p>In some low-contrast themes, contrast ratio does not meet the standard for the following elements:</p> <ul style="list-style-type: none"> DxAccordion: the "Filter..." text in the filter panel. DxButton, DxDropDownButton, DxButtonGroup, DxSplitButton: button text. DxCalendar (standalone and within other controls): days of the week and week numbers. DxPager (standalone and within other controls): text in the current page button. DxScheduler: text in resource headers and appointments. DxTimeEdit (standalone and within other controls): 'Hour', 'Minute', 'Second', and 'AM/PM' captions in the time picker. DxTreeView: text in badges and selected items. DxUpload, DxFileInput: uploaded file size and file state ('Ready to upload' and 'Uploaded'); 'Select File' button text. Chart and Gauge components: label text. |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <p>To meet this criterion, we recommend developers to use high-contrast themes (such as Fluent Light Blue) or customize a theme.</p> <p>DevExpress Blazor components do not support Windows high-contrast themes.</p> |
| <p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | Partially Supports | Text can be resized without assistive technology up to 200 percent without loss of content or functionality. |
| <p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) | Not Applicable | DevExpress Blazor components do not contain images of text. |

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| <p>1.4.10 Reflow (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.10 (Web) 10.1.4.10 (Non-web document) 11.1.4.10 (Open Functionality Software) 11.1.4.10 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Partially Supports | <p>DevExpress Blazor components can be presented without loss of information or functionality, and without requiring scrolling in two dimensions, except for components that require two-dimensional layout for usage or meaning. Exceptions:</p> <ul style="list-style-type: none"> DxButtonGroup DxContextMenu DxRibbon <p>DxDropDown, DxFlyout, DxPopup, and DxWindow automatically adapt to container size and display all content. Developers can use the Scrollable property to activate scrollbars.</p> |
| <p>1.4.11 Non-text Contrast (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.11 (Web) 10.1.4.11 (Non-web document) 11.1.4.11 (Open Functionality Software) 11.1.4.11 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Partially Supports | <p>Most elements meet minimum contrast requirements. Exceptions:</p> <ul style="list-style-type: none"> Chart and Gauge components: series. <p>In some low-contrast themes, contrast ratio does not meet the standard in the following elements:</p> <ul style="list-style-type: none"> DxCarousel: pager buttons. DxComboBox: clear button. DxDateEdit: clear button. DxDateRangePicker: clear button. DxGrid: clear button in built-in editors. |

| Criteria | Conformance Level | Remarks and Explanations |
|----------|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <ul style="list-style-type: none"> • DxMaskedInput: clear button. • DxMemo: clear button. • DxScheduler: header buttons in the Edit Appointment dialog, clear button in built-in editors. • DxSpinEdit: clear button. • DxTabs: close button. • DxTagBox: clear button. • DxTextBox: clear button. • DxTimeEdit: clear button. • DxTreeList: clear button in built-in editors. • DxButton, DxDropDownButton, and DxSplitButton: button. • DxCheckBox (standalone and within other controls): checked checkbox. • DxPager: current page button. • DxRadio and DxRadioGroup: selected radio button. • DxTreeView: selected node. <p>To meet this criterion, we recommend developers to use high-contrast themes (such as Fluent Light Blue) or customize a theme.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1.4.12 Text Spacing (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.12 (Web) 10.1.4.12 (Non-web document) 11.1.4.12 (Open Functionality Software) 11.1.4.12 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Partially Supports | <p>Spacing between letters, words, lines of text and/or paragraphs can be adjusted without loss of content or functionality for most controls.</p> <p>Exception:</p> <ul style="list-style-type: none"> DxRichEdit: document content overlaps and is cut when text spacing properties are customized by the browser. To avoid this issue, use Rich Text Editor text settings (toolbar or API). |
| <p>1.4.13 Content on Hover or Focus (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.13 (Web) 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | Supports | <p>Components do not include content elements triggered by hover or focus except for browser tooltips.</p> |
| <p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) | Not Applicable | <p>DevExpress Blazor components do not contain web pages.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | | |
| 2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.6 (Web) 10.2.4.6 (Non-web document) 11.2.4.6 (Open Functionality Software) 11.2.4.6 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Supports | DevExpress Blazor components do not include headings. Labels in components are clear and descriptive. |
| 2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) | Partially Supports | Keyboard-operable components clearly display the focus indicator. Exceptions: <ul style="list-style-type: none"> DxPivotTable DxRibbon DxFilterBuilder: buttons adjacent to component edges DxPopup: the root element DxAIChat: loses focus on a Regenerate button click |

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| 2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Supports | Focus does not cause a component to be obscured. |
| 2.5.7 Dragging Movements (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Partially Supports | All functionality that uses a dragging movement for operation can be achieved by a single pointer without dragging. Exceptions: <ul style="list-style-type: none"> DxGrid: group and ungroup columns, rearrange columns in grid and column chooser. DxTreeList: rearrange rows, rearrange columns in grid and column chooser. DxTabs: rearrange tabs. |
| 2.5.8 Target Size (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Partially Supports | The size of the target for pointer inputs in components is more than 24 by 24 CSS pixels. Exception: <ul style="list-style-type: none"> DxSpinEdit (standalone and within other controls): increment buttons. DxAIChat, DxDrawer, DxFormLayout, DxGrid, DxPivotTable, DxScheduler, DxTreeList, DxTreeView, DxTabs, DxDropDownBox, DxListBox, DxMemo: scrollbar. |
| 3.1.2 Language of Parts (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.3.1.2 (Web) 10.3.1.2 (Non-web document) | Not Applicable | It is up to site developers to provide 'lang' attribute for each passage or phrase if content is written in multiple languages. |

| Criteria | Conformance Level | Remarks and Explanations |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|--------------------------------------------------------|
| <ul style="list-style-type: none"> • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | | |
| <p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | Not Applicable | DevExpress Blazor components do not contain web pages. |
| <p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply | Not Applicable | DevExpress Blazor components do not contain web pages. |

| Criteria | Conformance Level | Remarks and Explanations |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs | | |
| <p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | Partially Supports | <p>DevExpress Blazor editors (except for DxRadioGroup, DxCheckBox, and DxListBox) can display validation icons whose titles contain error/suggestion-related descriptions based on data annotations. These titles can be read by screen readers in scan mode.</p> <p>Customers can also add standard Blazor <code>ValidationMessage</code> or <code>ValidationSummary</code> components to display error messages.</p> <p>DxUpload, DxFileInput: do not provide suggestions for error correction.</p> |
| <p>3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 11.8.2 (Authoring Tool) | Not Applicable | <p>DevExpress Blazor components do not contain elements that cause legal commitments or financial transactions to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) | | |
| 3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply | Not Applicable | DevExpress Blazor components do not include authentication. |
| 4.1.3 Status Messages (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 – Does not apply | Partially Supports | DevExpress Blazor components do not provide accessibility information about status changes of load, search, and all asynchronous operations. Exceptions: <ul style="list-style-type: none"> DxFileInput: result of upload operation, maximum file count error. DxPivotGrid: data shaping operations. DxPivotTable: data shaping operations. DxUpload: result of upload operation. |

Table 3: Success Criteria, Level AAA

Notes: Table 3 has been removed because DevExpress Blazor components have not been tested for conformance to WCAG Level AAA criteria.

Revised Section 508 Report

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 302.1 Without Vision | Partially Supports | <p>Most of the features in DevExpress Blazor components can be accessed with the keyboard alone and announced by appropriate assistive technologies.</p> <p>Refer to WCAG 2.2 Report for exceptions.</p> |
| 302.2 With Limited Vision | Partially Supports | <p>Customers can use standard browser mechanisms to modify text properties and use standard browser magnification. Most components meet minimum contrast requirements.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> • 1.3.3 Sensory Characteristics • 1.4.3 Contrast (Minimum) • 1.4.10 Reflow • 1.4.11 Non-text Contrast • 1.4.12 Text Spacing • 1.4.13 Content on Hover or Focus |
| 302.3 Without Perception of Color | Partially Supports | <p>Information conveyed by color is also available in text and/or contrast differences.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> • 1.4.1 Use of Color. |
| 302.4 Without Hearing | Not Applicable | DevExpress Blazor components do not include audio content. |
| 302.5 With Limited Hearing | Not Applicable | DevExpress Blazor components do not include audio content. |
| 302.6 Without Speech | Not Applicable | DevExpress Blazor components do not require speech to operate or retrieve information. |
| 302.7 With Limited Manipulation | Partially Supports | Many DevExpress Blazor components are operable with a keyboard and can be used without a pointing device. For additional information, refer |

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------------------------------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <p>to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> • 2.1.1 Keyboard • 2.1.2 No Keyboard Trap <p>Many DevExpress Blazor components provide automation interfaces that can be used by assistive technologies to interact with a UI element. For additional information, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> • 4.1.2 Name, Role, Value <p>Most DevExpress Blazor components do not use multi-point or path-based gestures. They support standard input mechanisms. DevExpress Blazor components do not require fine motor control or simultaneous manual operations. Other mouse pointer interaction is implemented based on WCAG 2.2 requirements. For more information, refer to the following criteria descriptions:</p> <ul style="list-style-type: none"> • 2.5.1 Pointer Gestures • 2.5.2 Pointer Cancellation <p>DevExpress Blazor components do not rely on motion actions.</p> |
| 302.8 With Limited Reach and Strength | Partially Supports | <p>Developers who use DevExpress controls can implement interfaces for users with limited reach and strength:</p> <ul style="list-style-type: none"> - Many DevExpress components are operable with standard keyboard devices. - Sequential focus order allows a user to utilize alternative focus-based input devices, such as switches. - UI Automation patterns supported in most DevExpress components allow assistive technologies to interact with UI components via voice-based commands. <p>For additional information refer to the following criterion:</p> <ul style="list-style-type: none"> • 302.7 With Limited Manipulation |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Partially Supports | <p>Users with limited language, cognitive, and learning abilities can use text-to-speech assistive tools that rely on information provided by DevExpress components via UI Automation. For additional information, refer to the following criteria in WCAG 2.2 Report:</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|----------|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <ul style="list-style-type: none"> 2.5.3 Label in Name 4.1.2 Name, Role, Value <p>DevExpress controls do not change the context on focus or input reducing the impact of unexpected context change.</p> <p>DevExpress controls display validation errors and provide information about them to assistive tools. Developers can implement suggestions when an error occurs. For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 3.3.1 Error Identification 3.3.3 Error Suggestion |

Chapter 4: [Hardware](#)

Notes: Not Applicable

Chapter 5: [Software](#)

Notes: Subsection 503 was removed as it's not applicable to web products.

| Criteria | Conformance Level | Remarks and Explanations |
|----------------------------------------------------------------|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| 501.1 Scope – Incorporation of WCAG 2.2 AA | See WCAG 2.2 section | See information in WCAG 2.2 section |
| 502 Interoperability with Assistive Technology | Heading cell – no response required | Heading cell – no response required |
| 502.2.1 User Control of Accessibility Features | Not Applicable | It is up to site developers to provide user control of accessibility features. |
| 502.2.2 No Disruption of Accessibility Features | Supports | DevExpress Blazor components do not disrupt normal operation of platform accessibility features. |
| 502.3 Accessibility Services | Heading cell – no response required | Heading cell – no response required |
| 502.3.1 Object Information | Partially Supports | Role, state(s), properties, boundary, name, and description of components can be programmatically determined by assistive technology. |

| Criteria | Conformance Level | Remarks and Explanations |
|--------------------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value |
| 502.3.2 Modification of Object Information | Partially Supports | <p>States and properties of components can be set programmatically, including through assistive technology.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value |
| 502.3.3 Row, Column, and Headers | Supports | <p>DevExpress Blazor components provide programmatically determinable information about data tables, and their cells, rows, and columns.</p> |
| 502.3.4 Values | Partially Supports | <p>DevExpress Blazor components contain programmatically determinable information about the current value, and any set or range of allowable values associated with an object.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value |
| 502.3.5 Modification of Values | Partially Supports | <p>Element values can be set programmatically, including through assistive technology.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value |
| 502.3.6 Label Relationships | Partially Supports | <p>A relationship of a label and its associated component is programmatically determinable.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 2.5.3 Label in Name |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 502.3.7 Hierarchical Relationships | Partially Supports | <p>DevExpress Blazor components provide programmatically determinable information about hierarchical relationships.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 1.3.1 Info and Relationships |
| 502.3.8 Text | Supports | <p>DevExpress Blazor components provide programmatically determinable information about the content of text objects, text attributes, and the boundary of text rendered to the screen.</p> |
| 502.3.9 Modification of Text | Supports | <p>Within DevExpress Blazor components, text that can be set by a user, set programmatically, including through assistive technologies.</p> |
| 502.3.10 List of Actions | Partially Supports | <p>A list of all actions that can be executed on an object can be programmatically determinable.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 2.1.1 Keyboard, 4.1.2 Name, Role, Value |
| 502.3.11 Actions on Objects | Partially Supports | <p>DevExpress Blazor components allow assistive technology to programmatically execute available actions on objects.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 2.1.1 Keyboard, 4.1.2 Name, Role, Value |
| 502.3.12 Focus Cursor | Partially Supports | <p>DevExpress Blazor components expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 2.1.1 Keyboard 2.4.3 Focus Order 4.1.2 Name, Role, Value |
| 502.3.13 Modification of Focus Cursor | Partially Supports | <p>DevExpress Blazor components allow assistive technology to programmatically set focus, text insertion point, and selection</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|-------------------------------------------------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | attributes. Restrictions: <ul style="list-style-type: none"> Editors with mask functionality can override caret position and/or selection. |
| 502.3.14 Event Notification | Partially Supports | DevExpress Blazor components partially support event notifications available to assistive technologies. For exceptions, refer to the following criterion in WCAG 2.2 Report: <ul style="list-style-type: none"> 4.1.3 Status Messages DevExpress Blazor components do not provide accessibility information about status changes of asynchronous load and search operations. |
| 502.4 Platform Accessibility Features | Not Applicable | This criterion is not applicable to web components. |
| 504 Authoring Tools | Heading cell – no response required | Heading cell – no response required |
| 504.2 Content Creation or Editing | Does Not Support | The DxRichEdit control does not allow users to include alternative text for visuals. |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Supports | DevExpress Blazor authoring tool components preserve accessibility information in format conversion (after output). |
| 504.2.2 PDF Export | Does Not Support | PDF files created by DevExpress Blazor authoring tool components do not conform to accessibility requirements. |
| 504.3 Prompts | Does Not Support | DevExpress Blazor authoring tool components do not prompt authors to create accessible content. |
| 504.4 Templates | Not Applicable | DevExpress Blazor authoring tool components do not provide templates. |

Chapter 6: [Support Documentation and Services](#)

Notes: This document describes accessibility of DevExpress Blazor components available for end users. Criteria within this section is Not Applicable, because DevExpress does not provide documentation or support services for end users.

EN 301 549 Report

Chapter [4: Functional Performance Statements \(FPS\)](#)

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4.2.1 Usage without vision | Partially Supports | <p>Most of features in DevExpress Blazor components can be accessed with the keyboard alone and announced by assistive technologies.</p> <p>Refer to WCAG 2.2 Report for exceptions.</p> |
| 4.2.2 Usage with limited vision | Partially Supports | <p>Customers can use standard browser mechanisms to modify text properties and use standard browser magnification. Most components meet minimum contrast requirements.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 1.3.3 Sensory Characteristics 1.4.3 Contrast (Minimum) 1.4.10 Reflow 1.4.11 Non-text Contrast 1.4.12 Text Spacing 1.4.13 Content on Hover or Focus |
| 4.2.3 Usage without perception of colour | Partially Supports | <p>Information conveyed by color is also available in text and/or contrast differences.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 1.4.1 Use of Color |
| 4.2.4 Usage without hearing | Not Applicable | DevExpress Blazor components do not include audio content. |
| 4.2.5 Usage with limited hearing | Not Applicable | DevExpress Blazor components do not include audio content. |
| 4.2.6 Usage with no or limited vocal capability | Not Applicable | DevExpress Blazor components do not require speech to operate or retrieve information. |
| 4.2.7 Usage with limited manipulation or strength | Partially Supports | <p>Many DevExpress Blazor components are operable with a keyboard and can be used without a pointing device. For more information, refer to the following criteria in WCAG 2.2 Report:</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | <ul style="list-style-type: none"> 2.1.1 Keyboard 2.1.2 No Keyboard Trap <p>Many DevExpress Blazor components provide automation interfaces that can be used by assistive technologies to interact with a UI element. For more information, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value <p>Most DevExpress Blazor components do not use multi-point or path-based gestures. They support standard input methods such as keyboard and pointing devices. DevExpress components do not require fine motor control or simultaneous manual operations. Other mouse pointer interaction is implemented according to WCAG 2.2 requirements. For more information, refer to the following criteria descriptions:</p> <ul style="list-style-type: none"> 2.5.1 Pointer Gestures 2.5.2 Pointer Cancellation <p>DevExpress Blazor components do not rely on motion actions.</p> |
| 4.2.8 Usage with limited reach | Partially Supports | <p>Developers who use DevExpress controls can implement interfaces for users with limited reach and strength:</p> <ul style="list-style-type: none"> - Many DevExpress components are operable with standard keyboard devices. - Sequential focus order allows user to utilize alternative focus-based input devices, such as switches. - UI Automation patterns supported in most DevExpress components allow assistive technologies to interact with UI components via voice-based commands. <p>For additional information refer to the following criterion in Section 508 Report:</p> <ul style="list-style-type: none"> 302.7 With Limited Manipulation |
| 4.2.9 Minimize photosensitive seizure triggers | Not Applicable | DevExpress Blazor components do not include flashing content. |
| 4.2.10 Usage with limited cognition, language or learning | Not Applicable | DevExpress Blazor components do not have special requirements for cognitive or learning abilities. |
| 4.2.11 Privacy | Not Applicable | DevExpress Blazor components do not provide built-in privacy features. |

Chapter [5: Generic Requirements](#)

Notes: Subsections 5.1, 5.5 to 5.9 are removed, because these criteria are not applicable to web products.

| Criteria | Conformance Level | Remarks and Explanations |
|-----------------------------------------------------------------|-------------------|----------------------------------------------------------------------------------------------------------------------------|
| 5.2 Activation of accessibility features | Not Applicable | DevExpress does not provide documentation on accessibility features for end users. |
| 5.3 Biometrics | Not Applicable | The product does not use biological characteristics for user identification or for control of ICT. |
| 5.4 Preservation of accessibility information during conversion | Supports | DevExpress Blazor components preserve information provided for accessibility when converting information or communication. |

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: Not Applicable

Chapter [7: ICT with Video Capabilities](#)

Notes: Not Applicable

Chapter [8: Hardware](#)

Notes: Not Applicable

Chapter [9: Web](#) (see [WCAG 2.2 section](#))

Chapter [10: Non-Web Documents](#)

Notes: Not Applicable

Chapter [11: Software](#)

Notes: Subsections 11.1 to 11.5 were removed as they are not applicable to web products.

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 11.0 General (informative) | Heading cell – no response required | Heading cell – no response required |
| 11.6 Documented accessibility usage | Heading cell – no response required | Heading cell – no response required |
| 11.6.1 User control of accessibility features | Not Applicable | It is up to site developers to provide user control of accessibility features. |
| 11.6.2 No disruption of accessibility features | Supports | DevExpress Blazor components do not disrupt normal operation of platform accessibility features. |
| 11.7 User preferences | Partially Supports | DevExpress Blazor components inherit font settings from the user agent. |
| 11.8 Authoring tools | Heading cell – no response required | Heading cell – no response required |
| 11.8.1 Content technology | Heading cell – no response required | Heading cell – no response required |
| 11.8.2 Accessible content creation | Does Not Support | The DxRichEdit control does not allow users to include alternative text for visuals. |
| 11.8.3 Preservation of accessibility information in transformations | Supports | DevExpress Blazor authoring tool components preserve accessibility information in the output during restructuring transformations or re-coding transformations. |
| 11.8.4 Repair assistance | Not Applicable | DevExpress Blazor authoring tool components do not have accessibility checking functionality. |
| 11.8.5 Templates | Not Applicable | DevExpress Blazor authoring tool components do not provide templates. |

Chapter [12: Documentation and Support Services](#)

Notes: This document describes DevExpress Blazor component accessibility for end users. Criteria in this section are Not Applicable, because DevExpress does not provide documentation or support for end users.

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not Applicable

Legal Disclaimer (Company)

This document is for informational purposes only. This document does not constitute a legal claim of compliance. DEVELOPER EXPRESS INC MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.

The information contained in this document represents the current view of Developer Express Inc on accessibility-related issues as of the date of publication. Because Developer Express Inc must respond to changing market conditions, statements made within this document should not be interpreted to be a commitment on the part of Developer Express Inc. Developer Express Inc does not and cannot guarantee the accuracy of any information contained within this document on or after the date of publication.

© 1998-2025 Developer Express Inc. All rights reserved. Developer Express Inc logo is a trademark of Developer Express Inc in the United States and/or other countries. The names of third parties and/or third-party products mentioned herein may be trademarks of their respective owners. Developer Express Inc updates its website and provides new information about the accessibility of products as that information becomes available.