

DevExpress Accessibility Conformance Report International Edition

(Based on VPAT® Version 2.5)

Name of Product/Version: DevExpress Blazor Components v25.2

Report Date: December 2025

Product Description: The DevExpress Blazor Component Suite includes UI components/development libraries for Blazor Server, Blazor WebAssembly, and Blazor Hybrid hosting models.

Contact Information: management@devexpress.com

Notes: This document outlines accessibility conformance of DevExpress Blazor UI components. A separate ACR is available for DevExpress Reports for Blazor.

DevExpress Blazor Chart and Gauge UI components (DxBarGauge, DxChart, DxPieChart, DxPolarChart, DxSankey, DxSparkline, and DxRangeSelector) do not offer UI Automation access to their graphic canvases and do not support keyboard navigation.

Visit [devexpress.com](https://www.devexpress.com) to learn more about product features, capabilities, and pricing options. To explore the capabilities of DevExpress UI controls and development libraries in your project, please download our fully functional [30-day trial version](#). For technical assistance, refer to [online documentation](#).

Evaluation Methods Used: Conformance to accessibility standards has been evaluated by DevExpress using a combination of static analysis tools (WAVE Evaluation Tool, aXe) and manual testing with assistive technologies (NVDA).

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standards/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.1.1 Non-text Content</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>Components provide sufficient text alternatives for most instances of non-text content.</p> <p>Exception: DxRichEdit - alt text for images.</p>
<p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	<p>DevExpress Blazor components do not contain any prerecorded audio-only or video-only content.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	DevExpress Blazor components do not contain any prerecorded audio content.
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	DevExpress Blazor components do not contain any prerecorded video content.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	DevExpress Blazor components expose their structure and relationships. This data can be determined programmatically by assistive technologies.
<p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Content of components is presented in a meaningful sequence.</p> <p>Exception: DxDropDown and DxPivotTable components may not provide correct reading sequence.</p> <p>DevExpress Blazor components do not support right-to-left presentation.</p>
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 9.1.3.3 (Web) 10.1.3.3 (Non-web document) 11.1.3.3 (Open Functionality Software) 11.1.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.1 (Web) 10.1.4.1 (Non-web document) 11.1.4.1 (Open Functionality Software) 11.1.4.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>Information conveyed by color is also available in text.</p> <p>Exceptions:</p> <ul style="list-style-type: none"> DxCheckBox, DxListBox, DxRadioGroup — validation state is identified by red or green outline only. To meet this criterion, add a standard Blazor ValidationMessage or ValidationSummary component to display a validation message. Chart and Gauge components — series are identified by colors only.
<p><u>1.4.2 Audio Control</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.2 (Web) 10.1.4.2 (Non-web document) 11.1.4.2 (Open Functionality Software) 	Not Applicable	DevExpress Blazor components do not contain audio content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.1.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.1.1 (Web) 10.2.1.1 (Non-web document) 11.2.1.1.1 (Open Functionality Software) 11.2.1.1.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>DevExpress Blazor components support standard keyboard navigation.</p> <p>Some components do not support keyboard navigation for specific tasks or in specific operation modes:</p> <ul style="list-style-type: none"> DxComboBox: custom command buttons are not accessible. DxDateEdit: custom command buttons are not accessible. DxDateRangePicker: custom command buttons are not accessible. DxDropDownBox: custom command buttons are not accessible. DxPivotGrid: data area is not accessible. DxRichEdit: the `Insert` drop-down menu in AI-related dialogs is not accessible. DxSpinEdit: custom command buttons are not accessible. DxTimeEdit: custom command buttons are not accessible.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.1.2 No Keyboard Trap</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		<p>When a screen reader is enabled, the following elements switch keyboard navigation to scan mode:</p> <ul style="list-style-type: none"> • DxListBox: Select All button (if the search box is visible). • DxGrid: group panel. • DxTreeList: group panel. • DxRibbon: Application tab.
<p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	<p>Partially Supports</p>	<p>DxRichEdit and DxHtmlEditor components require users to press Shift + Alt + Arrow Up/Down to move focus away from document area.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.1 (Web) 10.2.2.1 (Non-web document) 11.2.2.1 (Open Functionality Software) 11.2.2.1 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	<p>DevExpress Blazor components do not implement time limits.</p> <p>DxToast component notifications automatically disappear after 5 seconds. Developers who use the control can disable toast auto-hide or allow users to freeze a toast notification (prevent it from disappearing) with a click.</p>
<p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.2.2 (Web) 10.2.2.2 (Non-web document) 11.2.2.2 (Open Functionality Software) 11.2.2.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	<p>DevExpress Blazor components do not include elements that move, blink, scroll, or auto-update.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	DevExpress Blazor components do not include flashing content.
<p><u>2.4.1 Bypass Blocks</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	DevExpress Blazor components do not contain web pages.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	DevExpress Blazor components do not contain web pages.
<p><u>2.4.3 Focus Order</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Elements inside DevExpress Blazor components receive focus in a meaningful order.</p> <p>Exception: DxPivotTable may not maintain meaningful focus order in certain scenarios.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The purpose of links displayed in DevExpress Blazor components can be determined from the link text alone or from the programmatic context of the link.
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>DevExpress Blazor components do not rely on multipoint or path-based gestures.</p> <p>Exception: DxChart, DxPieChart, and DxPolarChart – two-finger pinch zoom.</p>
<p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) 	Partially Supports	DevExpress Blazor components do not include non-cancelable pointer input actions.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p><u>2.5.3 Label in Name</u> (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>Elements in components use text presented visually in their accessible names.</p> <p>Exception: DxSankey component.</p>
<p><u>2.5.4 Motion Actuation</u> (Level A 2.1 and 2.2)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Not Applicable	<p>DevExpress Blazor components do not contain functionality that can be operated by device motion or user motion.</p>
<p><u>3.1.1 Language of Page</u> (Level A)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) 	Not Applicable	<p>DevExpress Blazor components do not contain web pages. It is up to site developers to provide default human language used for each web page.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.2.1 On Focus</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>When a component receives focus, it does not initiate a change of context.</p>
<p><u>3.2.2 On Input</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) 	Supports	<p>Changing the component setting does not automatically cause a change of context.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.2.6 Consistent Help</u> (Level A 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Not Applicable	DevExpress Blazor components do not contain help mechanisms.
<p><u>3.3.1 Error Identification</u> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>If an input error is automatically detected, the editor identifies the error with a red outline.</p> <p>Customers can add standard ValidationMessage or ValidationSummary components to supply a textual error message to users.</p> <p>Auto correction exception: A user can enter a restricted value. For instance, a value may be out of range for a spin edit or a date may be disabled in a calendar. The editor automatically changes that value to the previous or to nearest correct value. This correction is not described to the user.</p>
<p><u>3.3.2 Labels or Instructions</u> (Level A) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) 	Supports	Input elements inside DevExpress Blazor components have associated labels or instructions.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p><u>3.3.7 Redundant Entry</u> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Not Applicable	Components do not require re-entering information.
<p><u>4.1.1 Parsing</u> (Level A)</p> <p>Applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer 'Supports'</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.1 (Web) 10.4.1.1 (Non-web document) 11.4.1.1.1 (Open Functionality Software) 11.4.1.1.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	Components have complete start and end tags, elements are nested based on their specifications, elements do not contain duplicate attributes, and any IDs are unique.
<p><u>4.1.2 Name, Role, Value</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 	Partially Supports	Name, role, and value are detectable and modifiable by assistive technology. Exceptions: <ul style="list-style-type: none"> DxCalendar (standalone and within other controls): does not provide information about disabled and selected states.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		<ul style="list-style-type: none"> DxPager: result of navigation (via arrow buttons or via the input element) is not reported to users. DxPivotTable: not all name, role, and value attributes are specified. DxRadio: does not provide information about read-only state. DxRadioGroup: does not provide information about read-only state. DxSpinEdit: does not provide information about the new value. <p>For a list of components that do not contain visually presented text in their names, refer to the following criterion:</p> <ul style="list-style-type: none"> 2.5.3 Label in Name.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.4 Captions (Live)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not Applicable	DevExpress Blazor components do not contain any live audio content.
<p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) 	Not Applicable	DevExpress Blazor components do not contain any prerecorded video content.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 602.3 (Support Docs) <p>1.3.4 Orientation (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.4 (Web) 10.1.3.4 (Non-web document) 11.1.3.4 (Open Functionality Software) 11.1.3.4 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p>1.3.5 Identify Input Purpose (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.3.5 (Web) 10.1.3.5 (Non-web document) 11.1.3.5.1 (Open Functionality Software) 11.1.3.5.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	DevExpress Blazor components allow customers to specify attributes, including “type” and “autocomplete” attributes.
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.3 (Web) 10.1.4.3 (Non-web document) 11.1.4.3 (Open Functionality Software) 11.1.4.3 (Closed Software) 11.8.2 (Authoring Tool) 	Partially Supports	<p>All text meets minimum contrast requirements.</p> <p>To meet this criterion, we recommend developers to use high-contrast themes (such as Fluent Light Blue) or customize a theme.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		DevExpress Blazor components do not support Windows high-contrast themes.
<p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	Text can be resized without assistive technology up to 200 percent without loss of content or functionality.
<p><u>1.4.5 Images of Text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) 	Not Applicable	DevExpress Blazor components do not contain images of text.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p>1.4.10 Reflow (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>DevExpress Blazor components can be presented without loss of information or functionality, and without requiring scrolling in two dimensions, except for components that require two-dimensional layout for usage or meaning. Exceptions:</p> <ul style="list-style-type: none"> • DxButtonGroup • DxContextMenu <p>DxDropDown, DxFlyout, DxPopup, and DxWindow automatically adapt to container size and display all content. Developers can use the Scrollable property to activate scrollbars.</p>
<p>1.4.11 Non-text Contrast (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>Most elements meet minimum contrast requirements. Exceptions:</p> <ul style="list-style-type: none"> • Chart, Gauge, and Range Selector components: series. <p>In some low-contrast themes, contrast ratio does not meet the standard in the following elements:</p> <ul style="list-style-type: none"> • DxCarousel: pager buttons. • DxComboBox: clear button. • DxDateEdit: clear button. • DxDateRangePicker: clear button. • DxGrid: clear button in built-in editors. • DxMaskedInput: clear button.

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> • DxMemo: clear button. • DxScheduler: header buttons in the Edit Appointment dialog, clear button in built-in editors. • DxSpinEdit: clear button. • DxTabs: close button. • DxTagBox: clear button. • DxTextBox: clear button. • DxTimeEdit: clear button. • DxTreeList: clear button in built-in editors. • DxButton, DxDropDownButton, and DxSplitButton: button. • DxCheckBox (standalone and within other controls): checked checkbox. • DxPager: current page button. • DxRadio and DxRadioGroup: selected radio button. • DxTreeView: selected node. <p>To meet this criterion, we recommend developers to use high-contrast themes (such as Fluent Light Blue) or customize a theme.</p>
<p><u>1.4.12 Text Spacing</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) 	Partially Supports	<p>Spacing between letters, words, lines of text and/or paragraphs can be adjusted without loss of content or functionality for most controls.</p> <p>Exception:</p> <ul style="list-style-type: none"> • DxRichEdit: document content overlaps and is cut when text spacing properties are customized by the browser. To avoid this issue, use Rich Text Editor text settings (toolbar or API).

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>		
<p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 only)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.1.4.13 (Web) 10.1.4.13 (Non-web document) 11.1.4.13 (Open Functionality Software) 11.1.4.13 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Components do not include content elements triggered by hover or focus except for browser tooltips.
<p><u>2.4.5 Multiple Ways</u> (Level AA)</p> <p>Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.5 (Web) 10.2.4.5 (Non-web document) – Does not apply 11.2.4.5 (Open Functionality Software) – Does not apply 11.2.4.5 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	DevExpress Blazor components do not contain web pages.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	DevExpress Blazor components do not include headings. Labels in components are clear and descriptive.
<p><u>2.4.7 Focus Visible</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	Keyboard-operable components clearly display the focus indicator. Exceptions: <ul style="list-style-type: none"> • DxMap: the root element • DxPivotGrid
<p><u>2.4.11 Focus Not Obscured (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Supports	Focus does not cause a component to be obscured.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.5.7 Dragging Movements</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Partially Supports	<p>All functionality that uses a dragging movement for operation can be achieved by a single pointer without dragging. Exceptions:</p> <ul style="list-style-type: none"> • DxGrid: move column headers to/from the group panel, reorder columns in the control and column chooser. You can implement this functionality using built-in context menus and custom UI elements. • DxTreeList: rearrange rows, reorder columns in the control and column chooser. You can implement this functionality using built-in context menus and custom UI elements. • DxTabs: rearrange tabs. • DxRangeSelector: move the handle.
<p><u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only) EN 301 549 Criteria – Does not apply Revised Section 508 – Does not apply</p>	Partially Supports	<p>The size of the target for pointer inputs in components is more than 24 by 24 CSS pixels. Exception:</p> <ul style="list-style-type: none"> • DxSpinEdit (standalone and within other controls): increment buttons. To meet this criterion, set DxSpinButtons.Orientation to Horizontal. • DxAIChat, DxDrawer, DxFormLayout, DxGrid, DxPivotTable, DxScheduler, DxTreeList, DxTreeView, DxTabs, DxComboBox, DxDropDownBox, DxListBox, DxMemo: scrollbar.
<p><u>3.1.2 Language of Parts</u> (Level AA) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> • 9.3.1.2 (Web) </p>	Not Applicable	<p>It is up to site developers to provide 'lang' attribute for each passage or phrase if content is written in multiple languages.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 		
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Not Applicable	DevExpress Blazor components do not contain web pages.
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply 	Not Applicable	DevExpress Blazor components do not contain web pages.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.3.2.4 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 		
<p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.3 (Web) 10.3.3.3 (Non-web document) 11.3.3.3 (Open Functionality Software) 11.3.3.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	<p>DevExpress Blazor editors (except for DxRadioGroup, DxCheckBox, and DxListBox) can display validation icons whose titles contain error/suggestion-related descriptions based on data annotations. These titles can be read by screen readers in scan mode.</p> <p>Customers can also add standard Blazor ValidationMessage or ValidationSummary components to display error messages.</p> <p>DxUpload, DxFileInput: do not provide suggestions for error correction.</p>
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.3.3.4 (Web) 10.3.3.4 (Non-web document) 11.3.3.4 (Open Functionality Software) 11.3.3.4 (Closed Software) 	Not Applicable	<p>DevExpress Blazor components do not contain elements that cause legal commitments or financial transactions to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
<p>3.3.8 Accessible Authentication (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	Not Applicable	DevExpress Blazor components do not include authentication.
<p>4.1.3 Status Messages (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.4.1.3 (Web) 10.4.1.3 (Non-web document) 11.4.1.3 (Open Functionality Software) 11.4.1.3 (Closed Software) – Does not apply 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially Supports	<p>DevExpress Blazor components do not provide accessibility information about status changes of load, search, and all asynchronous operations.</p> <p>Exceptions:</p> <ul style="list-style-type: none"> DxPivotGrid: data shaping operations. DxPivotTable: data shaping operations.

Table 3: Success Criteria, Level AAA

Notes: Table 3 has been removed because DevExpress Blazor components have not been tested for conformance to WCAG Level AAA criteria.

Revised Section 508 Report

Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	<p>Most of the features in DevExpress Blazor components can be accessed with the keyboard alone and announced by appropriate assistive technologies.</p> <p>Refer to WCAG 2.2 Report for exceptions.</p>
302.2 With Limited Vision	Partially Supports	<p>Customers can use standard browser mechanisms to modify text properties and use standard browser magnification. Most components meet minimum contrast requirements.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> • 1.3.3 Sensory Characteristics • 1.4.3 Contrast (Minimum) • 1.4.10 Reflow • 1.4.11 Non-text Contrast • 1.4.12 Text Spacing • 1.4.13 Content on Hover or Focus
302.3 Without Perception of Color	Partially Supports	<p>Information conveyed by color is also available in text and/or contrast differences.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> • 1.4.1 Use of Color.
302.4 Without Hearing	Not Applicable	DevExpress Blazor components do not include audio content.
302.5 With Limited Hearing	Not Applicable	DevExpress Blazor components do not include audio content.
302.6 Without Speech	Not Applicable	DevExpress Blazor components do not require speech to operate or retrieve information.
302.7 With Limited Manipulation	Partially Supports	Many DevExpress Blazor components are operable with a keyboard and can be used without a pointing device. For additional information, refer to the following criteria in WCAG 2.2 Report:

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> 2.1.1 Keyboard 2.1.2 No Keyboard Trap <p>Many DevExpress Blazor components provide automation interfaces that can be used by assistive technologies to interact with a UI element. For additional information, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value <p>Most DevExpress Blazor components do not use multi-point or path-based gestures. They support standard input mechanisms. DevExpress Blazor components do not require fine motor control or simultaneous manual operations. Other mouse pointer interaction is implemented based on WCAG 2.2 requirements. For more information, refer to the following criteria descriptions:</p> <ul style="list-style-type: none"> 2.5.1 Pointer Gestures 2.5.2 Pointer Cancellation <p>DevExpress Blazor components do not rely on motion actions.</p>
302.8 With Limited Reach and Strength	Partially Supports	<p>Developers who use DevExpress controls can implement interfaces for users with limited reach and strength:</p> <ul style="list-style-type: none"> Many DevExpress components are operable with standard keyboard devices. Sequential focus order allows a user to utilize alternative focus-based input devices, such as switches. UI Automation patterns supported in most DevExpress components allow assistive technologies to interact with UI components via voice-based commands. <p>For additional information refer to the following criterion:</p> <ul style="list-style-type: none"> 302.7 With Limited Manipulation
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	<p>Users with limited language, cognitive, and learning abilities can use text-to-speech assistive tools that rely on information provided by DevExpress components via UI Automation. For additional information, refer to the following criteria in WCAG 2.2 Report:</p>

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> 2.5.3 Label in Name 4.1.2 Name, Role, Value <p>DevExpress controls do not change the context on focus or input reducing the impact of unexpected context change.</p> <p>DevExpress controls display validation errors and provide information about them to assistive tools. Developers can implement suggestions when an error occurs. For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 3.3.1 Error Identification 3.3.3 Error Suggestion

Chapter 4: [Hardware](#)

Notes: Not Applicable.

Chapter 5: [Software](#)

Notes: Subsection 503 was removed as it's not applicable to web products.

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.2 AA	See WCAG 2.2 section	See information in WCAG 2.2 section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	It is up to site developers to provide user control of accessibility features.
502.2.2 No Disruption of Accessibility Features	Supports	DevExpress Blazor components do not disrupt normal operation of platform accessibility features.
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	Role, state(s), properties, boundary, name, and description of components can be programmatically determined by assistive technology.

Criteria	Conformance Level	Remarks and Explanations
		<p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value
502.3.2 Modification of Object Information	Partially Supports	<p>States and properties of components can be set programmatically, including through assistive technology.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value
502.3.3 Row, Column, and Headers	Supports	<p>DevExpress Blazor components provide programmatically determinable information about data tables, and their cells, rows, and columns.</p>
502.3.4 Values	Partially Supports	<p>DevExpress Blazor components contain programmatically determinable information about the current value, and any set or range of allowable values associated with an object.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value
502.3.5 Modification of Values	Partially Supports	<p>Element values can be set programmatically, including through assistive technology.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value
502.3.6 Label Relationships	Partially Supports	<p>A relationship of a label and its associated component is programmatically determinable.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 2.5.3 Label in Name

Criteria	Conformance Level	Remarks and Explanations
502.3.7 Hierarchical Relationships	Partially Supports	<p>DevExpress Blazor components provide programmatically determinable information about hierarchical relationships.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 1.3.1 Info and Relationships
502.3.8 Text	Supports	<p>DevExpress Blazor components provide programmatically determinable information about the content of text objects, text attributes, and the boundary of text rendered to the screen.</p>
502.3.9 Modification of Text	Supports	<p>Within DevExpress Blazor components, text that can be set by a user, set programmatically, including through assistive technologies.</p>
502.3.10 List of Actions	Partially Supports	<p>A list of all actions that can be executed on an object can be programmatically determinable.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 2.1.1 Keyboard, 4.1.2 Name, Role, Value
502.3.11 Actions on Objects	Partially Supports	<p>DevExpress Blazor components allow assistive technology to programmatically execute available actions on objects.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 2.1.1 Keyboard, 4.1.2 Name, Role, Value
502.3.12 Focus Cursor	Partially Supports	<p>DevExpress Blazor components expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 2.1.1 Keyboard 2.4.3 Focus Order 4.1.2 Name, Role, Value
502.3.13 Modification of Focus Cursor	Partially Supports	<p>DevExpress Blazor components allow assistive technology to programmatically set focus, text insertion point, and selection</p>

Criteria	Conformance Level	Remarks and Explanations
		<p>attributes.</p> <p>Restrictions:</p> <ul style="list-style-type: none"> Editors with mask functionality can override caret position and/or selection.
502.3.14 Event Notification	Partially Supports	<p>DevExpress Blazor components partially support event notifications available to assistive technologies.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.3 Status Messages <p>DevExpress Blazor components do not provide accessibility information about status changes of asynchronous load and search operations.</p>
502.4 Platform Accessibility Features	Not Applicable	This criterion is not applicable to web components.
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing	Does Not Support	The DxRichEdit control does not allow users to include alternative text for visuals.
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Supports	DevExpress Blazor authoring tool components preserve accessibility information in format conversion (after output).
504.2.2 PDF Export	Does Not Support	PDF files created by DevExpress Blazor authoring tool components do not conform to accessibility requirements.
504.3 Prompts	Does Not Support	DevExpress Blazor authoring tool components do not prompt authors to create accessible content.
504.4 Templates	Not Applicable	DevExpress Blazor authoring tool components do not provide templates.

Chapter 6: [**Support Documentation and Services**](#)

Notes: This document describes accessibility of DevExpress Blazor components available for end users. Criteria within this section is Not Applicable, because DevExpress does not provide documentation or support services for end users.

EN 301 549 Report

Chapter 4: Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	<p>Most of features in DevExpress Blazor components can be accessed with the keyboard alone and announced by assistive technologies.</p> <p>Refer to WCAG 2.2 Report for exceptions.</p>
4.2.2 Usage with limited vision	Partially Supports	<p>Customers can use standard browser mechanisms to modify text properties and use standard browser magnification. Most components meet minimum contrast requirements.</p> <p>For exceptions, refer to the following criteria in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> • 1.3.3 Sensory Characteristics • 1.4.3 Contrast (Minimum) • 1.4.10 Reflow • 1.4.11 Non-text Contrast • 1.4.12 Text Spacing • 1.4.13 Content on Hover or Focus
4.2.3 Usage without perception of colour	Partially Supports	<p>Information conveyed by color is also available in text and/or contrast differences.</p> <p>For exceptions, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> • 1.4.1 Use of Color
4.2.4 Usage without hearing	Not Applicable	DevExpress Blazor components do not include audio content.
4.2.5 Usage with limited hearing	Not Applicable	DevExpress Blazor components do not include audio content.
4.2.6 Usage with no or limited vocal capability	Not Applicable	DevExpress Blazor components do not require speech to operate or retrieve information.
4.2.7 Usage with limited manipulation or strength	Partially Supports	Many DevExpress Blazor components are operable with a keyboard and can be used without a pointing device. For more information, refer to the following criteria in WCAG 2.2 Report:

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> 2.1.1 Keyboard 2.1.2 No Keyboard Trap <p>Many DevExpress Blazor components provide automation interfaces that can be used by assistive technologies to interact with a UI element. For more information, refer to the following criterion in WCAG 2.2 Report:</p> <ul style="list-style-type: none"> 4.1.2 Name, Role, Value <p>Most DevExpress Blazor components do not use multi-point or path-based gestures. They support standard input methods such as keyboard and pointing devices. DevExpress components do not require fine motor control or simultaneous manual operations. Other mouse pointer interaction is implemented according to WCAG 2.2 requirements. For more information, refer to the following criteria descriptions:</p> <ul style="list-style-type: none"> 2.5.1 Pointer Gestures 2.5.2 Pointer Cancellation <p>DevExpress Blazor components do not rely on motion actions.</p>
4.2.8 Usage with limited reach	Partially Supports	<p>Developers who use DevExpress controls can implement interfaces for users with limited reach and strength:</p> <ul style="list-style-type: none"> Many DevExpress components are operable with standard keyboard devices. Sequential focus order allows user to utilize alternative focus-based input devices, such as switches. UI Automation patterns supported in most DevExpress components allow assistive technologies to interact with UI components via voice-based commands. <p>For additional information refer to the following criterion in Section 508 Report:</p> <ul style="list-style-type: none"> 302.7 With Limited Manipulation
4.2.9 Minimize photosensitive seizure triggers	Not Applicable	DevExpress Blazor components do not include flashing content.
4.2.10 Usage with limited cognition, language or learning	Not Applicable	DevExpress Blazor components do not have special requirements for cognitive or learning abilities.
4.2.11 Privacy	Not Applicable	DevExpress Blazor components do not provide built-in privacy features.

Chapter 5: Generic Requirements

Notes: Subsections 5.1, 5.5 to 5.9 are removed, because these criteria are not applicable to web products.

Criteria	Conformance Level	Remarks and Explanations
5.2 Activation of accessibility features	Not Applicable	DevExpress does not provide documentation on accessibility features for end users.
5.3 Biometrics	Not Applicable	The product does not use biological characteristics for user identification or for control of ICT.
5.4 Preservation of accessibility information during conversion	Supports	DevExpress Blazor components preserve information provided for accessibility when converting information or communication.

Chapter 6: ICT with Two-Way Voice Communication

Notes: Not Applicable.

Chapter 7: ICT with Video Capabilities

Notes: Not Applicable.

Chapter 8: Hardware

Notes: Not Applicable.

Chapter 9: Web (see [WCAG 2.2 section](#))

Chapter 10: Non-Web Documents

Notes: Not Applicable.

Chapter 11: Software

Notes: Subsections 11.1 to 11.5 were removed as they are not applicable to web products.

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	It is up to site developers to provide user control of accessibility features.
11.6.2 No disruption of accessibility features	Supports	DevExpress Blazor components do not disrupt normal operation of platform accessibility features.
11.7 User preferences	Partially Supports	DevExpress Blazor components inherit font settings from the user agent.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Does Not Support	The DxRichEdit control does not allow users to include alternative text for visuals.
11.8.3 Preservation of accessibility information in transformations	Supports	DevExpress Blazor authoring tool components preserve accessibility information in the output during restructuring transformations or re-coding transformations.
11.8.4 Repair assistance	Not Applicable	DevExpress Blazor authoring tool components do not have accessibility checking functionality.
11.8.5 Templates	Not Applicable	DevExpress Blazor authoring tool components do not provide templates.

Chapter 12: Documentation and Support Services

Notes: This document describes DevExpress Blazor component accessibility for end users. Criteria in this section are Not Applicable, because DevExpress does not provide documentation or support for end users.

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not Applicable.

Legal Disclaimer

This document is for informational purposes only. This document does not constitute a legal claim of compliance. DEVELOPER EXPRESS INC MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.

The information contained in this document represents the current view of Developer Express Inc on accessibility-related issues as of the date of publication. Because Developer Express Inc must respond to changing market conditions, statements made within this document should not be interpreted to be a commitment on the part of Developer Express Inc. Developer Express Inc does not and cannot guarantee the accuracy of any information contained within this document on or after the date of publication.

© 1998-2025 Developer Express Inc. All rights reserved. Developer Express Inc logo is a trademark of Developer Express Inc in the United States and/or other countries. The names of third parties and/or third-party products mentioned herein may be trademarks of their respective owners. Developer Express Inc updates its website and provides new information about the accessibility of products as that information becomes available.