

# DevExpress Accessibility Conformance Report

## International Edition

(Based on VPAT® Version 2.5)

**Name of Product/Version:** DevExpress WinForms Controls v24.2

**Report Date:** January 2025

**Contact Information:** [clientservices@devexpress.com](mailto:clientservices@devexpress.com)

**Scope:** DevExpress WinForms UI components, with the exceptions outlined below.

Assistive technologies, such as narrators, request accessible information via UI Automation. The following DevExpress WinForms controls do not convey accessible information in their embedded documents, graphic canvases, or designer surfaces: **Map Control**, **End-User Report Designer**, **PDF Viewer**, **Sunburst Control**, and **Heat Map Control**. This limitation does not apply to any shell UI integrated using the following controls: **Ribbon**, **Toolbars**, or **Tool Windows**.

**Evaluation Methods Used:** Conformance to listed accessibility standards has been evaluated by DevExpress using a combination of static analysis tools (Accessibility Insights, Inspect) and manual testing with assistive technologies (Narrator).

## Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	(Yes)
<a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.1.1 (2019-11)</a> AND <a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)</a>	(Yes)

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some product-related functionality does not meet the criterion.
- **Does Not Support:** The majority of product-related functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.2 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.2 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

**Table 1: Success Criteria, Level A**

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.1.1 Non-text Content</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.1.1 (Web)</li> <li>10.1.1.1 (Non-web document)</li> <li>11.1.1.1.1 (Open Functionality Software)</li> <li>11.1.1.1.2 (Closed Functionality Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	A developer can specify accessible names for controls that display non-text content. Assistive technologies can use such names to identify controls and associated content.
<p><a href="#">1.2.1 Audio-only and Video-only (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.2.1 (Web)</li> <li>10.1.2.1 (Non-web document)</li> <li>11.1.2.1.1 (Open Functionality Software)</li> <li>11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	DevExpress WinForms Controls do not include prerecorded audio-only or video-only content.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.2.2 Captions (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.2.2 (Web)</li> <li>10.1.2.2 (Non-web document)</li> <li>11.1.2.2 (Open Functionality Software)</li> <li>11.1.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	DevExpress WinForms Controls do not include prerecorded audio or video content.
<p><a href="#">1.2.3 Audio Description or Media Alternative (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.2.3 (Web)</li> <li>10.1.2.3 (Non-web document)</li> <li>11.1.2.3.1 (Open Functionality Software)</li> <li>11.1.2.3.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	DevExpress WinForms Controls do not include prerecorded audio and video content.
<p><a href="#">1.3.1 Info and Relationships</a> (Level A)</p> <p>Also applies to:</p>	Partially Supports	Assistive technologies, such as screen readers, do not

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.1 (Web)</li> <li>• 10.1.3.1 (Non-web document)</li> <li>• 11.1.3.1.1 (Open Functionality Software)</li> <li>• 11.1.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>notify customers on the structure and relationships of visual elements for the following controls:</p> <ul style="list-style-type: none"> <li>• <b>GridControl:</b> <ul style="list-style-type: none"> <li>○ <b>In Master-Detail mode</b>, a detail tab does not provide accessible information about other tabs.</li> <li>○ <b>Exported documents</b> do not preserve information about table structure.</li> <li>○ <b>Kanban View</b> does not provide accessible information about labels in the focused column.</li> </ul> </li> <li>• <b>LayoutControl:</b> does not provide accessible information about group structure.</li> <li>• <b>Vertical Grid:</b> does not provide accessible information about the focused cell's column when a cell editor is active.</li> <li>• <b>Print/Export Windows:</b> do not provide accessible information about table structure.</li> </ul>
<p><a href="#">1.3.2 Meaningful Sequence</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.2 (Web)</li> <li>• 10.1.3.2 (Non-web document)</li> <li>• 11.1.3.2.1 (Open Functionality Software)</li> <li>• 11.1.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> </ul>	<p>Partially Supports</p>	<p>Component content is presented in a meaningful sequence.</p> <p>Exception: elements in the <b>Grid Control's Layout View</b> cards (when Scan Mode is activated in the screen reader).</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<p><b><u>1.3.3 Sensory Characteristics</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.3.3 (Web)</li> <li>10.1.3.3 (Non-web document)</li> <li>11.1.3.3 (Open Functionality Software)</li> <li>11.1.3.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	DevExpress WinForms Controls include APIs that allow you to customize color, shape, and visual location. Controls do not rely solely on sensory characteristics to convey information.
<p><b><u>1.4.1 Use of Color</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.1 (Web)</li> <li>10.1.4.1 (Non-web document)</li> <li>11.1.4.1 (Open Functionality Software)</li> <li>11.1.4.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	Most controls do not use color coding as the only means of conveying information.

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.4.2 Audio Control</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.2 (Web)</li> <li>10.1.4.2 (Non-web document)</li> <li>11.1.4.2 (Open Functionality Software)</li> <li>11.1.4.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	DevExpress WinForms Controls do not contain audio content.
<p><a href="#">2.1.1 Keyboard</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.1.1 (Web)</li> <li>10.2.1.1 (Non-web document)</li> <li>11.2.1.1.1 (Open Functionality Software)</li> <li>11.2.1.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Partially Supports	<p>Control functionality is generally accessible through a keyboard interface.</p> <p>Specific operations, such as drag-and-drop, can be executed from a keyboard only when an end user enables the Mouse Keys feature in Microsoft Windows. Alternatively, software developers can control these operations through APIs. Developers can introduce keyboard shortcuts or auxiliary controls that enable end users to access all product functionality using a keyboard.</p> <p>The following keyboard operations are unavailable:</p> <ul style="list-style-type: none"> <li><b>AccordionControl:</b> Navigate to the menu button and footer buttons.</li> </ul>



Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> <li>• <b>DiagramControl:</b> Add diagram elements. As a workaround, you can create an element on a key press event.</li> <li>• <b>Data Editors:</b> <ul style="list-style-type: none"> <li>○ <b>CalcEdit:</b> Focus buttons within the dropdown window.</li> <li>○ <b>HyperLinkEdit:</b> Activate focused hyperlink. As a workaround, you can call the <b>HyperLinkEdit.ShowBrowser</b> method on the <b>KeyDown</b> event.</li> </ul> </li> <li>• <b>GridControl:</b> <ul style="list-style-type: none"> <li>○ Focus column headers. As a workaround you can use <b>GridControl's</b> APIs and a key press event.</li> <li>○ Navigate through <b>Data Navigator</b> elements.</li> <li>○ Expand/collapse a group row in <b>WinExplorer View</b>.</li> <li>○ Navigate to the second portion of the view in <b>Split Presentation</b> mode.</li> <li>○ <b>TileView</b> - Focus the <i>Add New Item</i> button.</li> <li>○ <b>TileView</b> - Scroll the view when you focus an item outside of the visible area on the right side.</li> </ul> </li> <li>• <b>LayoutControl:</b> Customize the layout in customization mode.</li> <li>• <b>NavigationPane:</b> <ul style="list-style-type: none"> <li>○ Navigate through items.</li> <li>○ Focus a group's expand/collapse button in the <b>NavBarGroupContainer</b>.</li> </ul> </li> <li>• <b>PropertyGridControl:</b> <ul style="list-style-type: none"> <li>○ Switch between tabs. As a workaround, you can handle the <b>Ctrl+Tab</b> key combination</li> </ul> </li> </ul>

Criteria	Conformance Level	Remarks and Explanations
		<p>press and specify the <b>PropertyGridControl.SelectedTab</b> property.</p> <ul style="list-style-type: none"> <li>○ Focus menu buttons.</li> <li>• <b>SchedulerControl:</b> <ul style="list-style-type: none"> <li>○ Focus <b>Pattern Settings</b> panel within the <b>Recurrent Appointment</b> menu.</li> <li>○ Switch between tabs when the Tab resource display style is used.</li> <li>○ Focus the <i>+N</i> button that is displayed when appointments don't fit the day cell.</li> </ul> </li> <li>• <b>TileNavPane:</b> Focus an item within a dropdown.</li> </ul> <p>The following controls do not support keyboard navigation:</p> <ul style="list-style-type: none"> <li>• <b>TileControl</b></li> <li>• <b>SVGImageBox</b></li> <li>• <b>OfficeNavigationBar</b></li> </ul>
<p><a href="#">2.1.2 No Keyboard Trap</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.2 (Web)</li> <li>• 10.2.1.2 (Non-web document)</li> <li>• 11.2.1.2 (Open Functionality Software)</li> <li>• 11.2.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> </ul>	Supports	<p>Users need to press the <i>Ctrl+Tab</i> or <i>Ctrl+Shift+Tab</i> shortcut to move focus away from the <b>GridControl</b>.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>602.3 (Support Docs)</li> </ul>		
<p><a href="#">2.1.4 Character Key Shortcuts</a> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.1.4 (Web)</li> <li>10.2.1.4 (Non-web document)</li> <li>11.2.1.4.1 (Open Functionality Software)</li> <li>11.2.1.4.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Supports	DevExpress WinForms Controls do not contain built-in single-symbol shortcuts. Where acceptable, developers can configure their own shortcuts that match this criterion.
<p><a href="#">2.2.1 Timing Adjustable</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.2.1 (Web)</li> <li>10.2.2.1 (Non-web document)</li> <li>11.2.2.1 (Open Functionality Software)</li> <li>11.2.2.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	DevExpress WinForms Controls do not include any time-controlled content.
<p><a href="#">2.2.2 Pause, Stop, Hide</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	Supports	DevExpress WinForms Controls do not include elements that move, blink, scroll, or auto-update.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>9.2.2.2 (Web)</li> <li>10.2.2.2 (Non-web document)</li> <li>11.2.2.2 (Open Functionality Software)</li> <li>11.2.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<p><b><u>2.3.1 Three Flashes or Below Threshold</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.3.1 (Web)</li> <li>10.2.3.1 (Non-web document)</li> <li>11.2.3.1 (Open Functionality Software)</li> <li>11.2.3.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	DevExpress WinForms Controls do not include any flashing content.
<p><b><u>2.4.1 Bypass Blocks</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.1 (Web)</li> <li>10.2.4.1 (Non-web document) – Does not apply</li> </ul>	Not Applicable	DevExpress WinForms Controls do not contain web pages.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>11.2.4.1 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><a href="#">2.4.2 Page Titled</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.2 (Web)</li> <li>10.2.4.2 (Non-web document)</li> <li>11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>11.2.4.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	DevExpress WinForms Controls do not contain web pages.
<p><a href="#">2.4.3 Focus Order</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.3 (Web)</li> <li>10.2.4.3 (Non-web document)</li> <li>11.2.4.3 (Open Functionality Software)</li> <li>11.2.4.3 (Closed Software)</li> </ul>	Partially Supports	<p>A user can navigate through DevExpress WinForms Controls sequentially and navigation sequence follows the visual order. See exceptions below.</p> <ul style="list-style-type: none"> <li><b>DiagramControl:</b> item focus order depends on item order within the control's internal list and doesn't follow the visual layout.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		<ul style="list-style-type: none"> <li><b>SchedulerControl:</b> wrong editor focus order in the <b>Appointment Editing</b> form.</li> </ul>
<p><a href="#">2.4.4 Link Purpose (In Context)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.4 (Web)</li> <li>10.2.4.4 (Non-web document)</li> <li>11.2.4.4 (Open Functionality Software)</li> <li>11.2.4.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	<p>The purpose of links displayed in DevExpress WinForms Controls can be determined from the link text alone or from the programmatic context of the link.</p>
<p><a href="#">2.5.1 Pointer Gestures</a> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.5.1 (Web)</li> <li>10.2.5.1 (Non-web document)</li> <li>11.2.5.1 (Open Functionality Software)</li> <li>11.2.5.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> </ul>	Supports	<p>DevExpress controls only require simple gestures.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><a href="#">2.5.2 Pointer Cancellation</a> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.5.2 (Web)</li> <li>10.2.5.2 (Non-web document)</li> <li>11.2.5.2 (Open Functionality Software)</li> <li>11.2.5.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	DevExpress WinForms Controls do not execute any essential activity that cannot be aborted or undone using the up-event.
<p><a href="#">2.5.3 Label in Name</a> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.5.3 (Web)</li> <li>10.2.5.3 (Non-web document)</li> <li>11.2.5.3.1 (Open Functionality Software)</li> <li>11.2.5.3.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	Component elements derive associated accessible names from visually presented text.
<p><a href="#">2.5.4 Motion Actuation</a> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.5.4 (Web)</li> <li>10.2.5.4 (Non-web document)</li> <li>11.2.5.4 (Open Functionality Software)</li> </ul>	Not Applicable	DevExpress WinForms Controls do not contain functionality that can be operated by device motion or user motion.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>11.2.5.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><b>3.1.1 Language of Page</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.1.1 (Web)</li> <li>10.3.1.1 (Non-web document)</li> <li>11.3.1.1.1 (Open Functionality Software)</li> <li>11.3.1.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Support	DevExpress WinForms Controls conform to .NET platform standards. Review the following property for additional information: <a href="#">FrameworkElement.Language</a> .
<p><b>3.2.1 On Focus</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.2.1 (Web)</li> <li>10.3.2.1 (Non-web document)</li> <li>11.3.2.1 (Open Functionality Software)</li> <li>11.3.2.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p>	Supports	When a component receives focus, it does not initiate a change of context.



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<p><a href="#">3.2.2 On Input</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.2.2 (Web)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	Changing the setting of a component does not automatically cause a change of context.
<p><a href="#">3.2.6 Consistent Help</a> (Level A 2.2 only)</p>	Not Applicable	DevExpress WinForms Controls do not include incorporated help mechanisms.
<p><a href="#">3.3.1 Error Identification</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.3.3.1 (Web)</li> <li>10.3.3.1 (Non-web document)</li> <li>11.3.3.1.1 (Open Functionality Software)</li> <li>11.3.3.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>	Supports	Assistive tools are automatically notified when validation errors occur in DevExpress WinForms <b>Data Editors</b> . Users can display error text by hovering an error icon.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<a href="#">3.3.2 Labels or Instructions</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.3.3.2 (Web)</li> <li>10.3.3.2 (Non-web document)</li> <li>11.3.3.2 (Open Functionality Software)</li> <li>11.3.3.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	Input elements inside DevExpress WinForms Controls include associated labels or instructions.
<a href="#">3.3.7 Redundant Entry</a> (Level A 2.2 only)	Supports	Built-in DevExpress multiple-page dialogs do not require users to enter previously entered information.
<a href="#">4.1.1 Parsing</a> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.4.1.1 (Web)</li> <li>10.4.1.1 (Non-web document)</li> <li>11.4.1.1.1 (Open Functionality Software)</li> <li>11.4.1.1.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> </ul>	Supports	For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See <a href="#">WCAG 2.0 Editorial Errata</a> and <a href="#">WCAG 2.1 Editorial Errata</a> .

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<p><a href="#">4.1.2 Name, Role, Value</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.4.1.2 (Web)</li> <li>10.4.1.2 (Non-web document)</li> <li>11.4.1.2.1 (Open Functionality Software)</li> <li>11.4.1.2.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Partially Supports	<p>Name, role, and value of controls are detectable and modifiable by assistive technology. The list below contains controls and accessible information that is not provided:</p> <ul style="list-style-type: none"> <li><b>AccordionControl:</b> Item nesting level.</li> <li><b>TokenEdit:</b> Tokens.</li> <li><b>RadioGroup:</b> Changes to control value.</li> <li><b>ExpressionEditor:</b> Expression suggestions.</li> <li><b>GridControl:</b> <ul style="list-style-type: none"> <li>Group row expanded/collapsed state changes.</li> <li>Grid values that are changed via APIs.</li> </ul> </li> </ul> <p>The following controls do not provide accessible information:</p> <ul style="list-style-type: none"> <li><b>TreeMapControl</b></li> <li><b>SunburstControl</b></li> <li><b>HeatmapControl</b></li> <li><b>SankeyDiagram</b></li> <li><b>StepProgressBar</b></li> </ul>

**Table 2: Success Criteria, Level AA**

Criteria	Conformance Level	Remarks and Explanations
<p><a href="#">1.2.4 Captions (Live)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.2.4 (Web)</li> <li>10.1.2.4 (Non-web document)</li> <li>11.1.2.4 (Open Functionality Software)</li> <li>11.1.2.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	DevExpress WinForms Controls do not contain live audio content.
<p><a href="#">1.2.5 Audio Description (Prerecorded)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.2.5 (Web)</li> <li>10.1.2.5 (Non-web document)</li> <li>11.1.2.5 (Open Functionality Software)</li> <li>11.1.2.5 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	DevExpress WinForms Controls do not contain prerecorded video content.

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.3.4 Orientation</u></b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.4 (Web)</li> <li>• 10.1.3.4 (Non-web document)</li> <li>• 11.1.3.4 (Open Functionality Software)</li> <li>• 11.1.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Not Applicable	DevExpress WinForms Controls do not restrict view and operation to a single display orientation.
<p><b><u>1.3.5 Identify Input Purpose</u></b> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.5 (Web)</li> <li>• 10.1.3.5 (Non-web document)</li> <li>• 11.1.3.5.1 (Open Functionality Software)</li> <li>• 11.1.3.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	Not applicable	DevExpress WinForms Controls do not include built-in forms referenced by this criterion.
<p><b><u>1.4.3 Contrast (Minimum)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.3 (Web)</li> <li>• 10.1.4.3 (Non-web document)</li> <li>• 11.1.4.3 (Open Functionality Software)</li> <li>• 11.1.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> </ul>	Supports	DevExpress WinForms Controls ship with high-contrast skins/app themes. App vendors/developers can use the DevExpress Skin Editor to create custom high-contrast skins as requirements dictate.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<p><a href="#">1.4.4 Resize text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.4 (Web)</li> <li>10.1.4.4 (Non-web document)</li> <li>11.1.4.4.1 (Open Functionality Software)</li> <li>11.1.4.4.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	Text can be resized without assistive technology up to 200 percent without loss of content or functionality.
<p><a href="#">1.4.5 Images of Text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.5 (Web)</li> <li>10.1.4.5 (Non-web document)</li> <li>11.1.4.5.1 (Open Functionality Software)</li> <li>11.1.4.5.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>	Supports	DevExpress WinForms Controls do not contain images of text.

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<a href="#">1.4.10 Reflow</a> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.1.4.10 (Web)</li> <li>10.1.4.10 (Non-web document)</li> <li>11.1.4.10 (Open Functionality Software)</li> <li>11.1.4.10 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	Depends on application implementation.
<a href="#">1.4.11 Non-text Contrast</a> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.1.4.11 (Web)</li> <li>10.1.4.11 (Non-web document)</li> <li>11.1.4.11 (Open Functionality Software)</li> <li>11.1.4.11 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	A developer can specify accessible names for controls that display non-text content. Assistive technologies can use such names to identify controls and associated content.
<a href="#">1.4.12 Text Spacing</a> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.1.4.12 (Web)</li> </ul>	Supports	The spacing between letters, words, lines of text and/or paragraphs can be adjusted without loss of content or functionality for all controls.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>10.1.4.12 (Non-web document)</li> <li>11.1.4.12 (Open Functionality Software)</li> <li>11.1.4.12 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><a href="#">1.4.13 Content on Hover or Focus</a> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.13 (Web)</li> <li>10.1.4.13 (Non-web document)</li> <li>11.1.4.13 (Open Functionality Software)</li> <li>11.1.4.13 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Partially Supports	<p>DevExpress WinForms Controls provide mechanisms to manage the position and lifetime of a tooltip.</p> <p>Exception:</p> <ul style="list-style-type: none"> <li>A user cannot hover tooltips.</li> </ul>
<p><a href="#">2.4.5 Multiple Ways</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.5 (Web)</li> <li>10.2.4.5 (Non-web document) – Does not apply</li> <li>11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>11.2.4.5 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> </ul>	Not Applicable	<p>DevExpress WinForms Controls do not contain web pages.</p>



Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><a href="#">2.4.6 Headings and Labels</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.6 (Web)</li> <li>10.2.4.6 (Non-web document)</li> <li>11.2.4.6 (Open Functionality Software)</li> <li>11.2.4.6 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	DevExpress WinForms Controls allow software developers to customize the content and style used for headings and labels within UI controls.
<p><a href="#">2.4.7 Focus Visible</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.7 (Web)</li> <li>10.2.4.7 (Non-web document)</li> <li>11.2.4.7 (Open Functionality Software)</li> <li>11.2.4.7 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Supports	Keyboard operable components clearly display the focus indicator.

Criteria	Conformance Level	Remarks and Explanations
<a href="#">2.4.11 Focus Not Obscured (Minimum)</a> (Level AA 2.2 only)	Supports	DevExpress WinForms components don't obscure focus in the default configuration. However, end users may position floating dock panels so that they hover the focused element.
<a href="#">2.5.7 Dragging Movements</a> (Level AA 2.2 only)	Partially Supports	<p>DevExpress WinForms components meet the specified criterion with the following exceptions:</p> <ul style="list-style-type: none"> <li>• <b>GridControl:</b> <ul style="list-style-type: none"> <li>○ Column resizing</li> <li>○ Column reordering</li> <li>○ Row drag &amp; drop (when enabled)</li> </ul> </li> <li>• <b>DiagramControl:</b> <ul style="list-style-type: none"> <li>○ Adding new items</li> <li>○ Dragging items to a different position</li> </ul> </li> </ul>
<a href="#">2.5.8 Target Size (Minimum)</a> (Level AA 2.2 only)	Partially Supports	<p>Depending on the applied skin/app theme, the following DevExpress WinForms components may contain smaller pointer input areas (smaller than 24x24 pixels)</p> <ul style="list-style-type: none"> <li>• <b>SpinEdit:</b> spin buttons.</li> <li>• <b>GridControl:</b> column resize splitters and filter buttons.</li> <li>• <b>Windows:</b> resize grips.</li> <li>• <b>DiagramControl:</b> item resize grips.</li> </ul> <p>Use DevExpress Touch-enabled Skins to increase pointer input areas across supported DevExpress WinForms components.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>3.1.2 Language of Parts</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.2 (Web)</li> <li>• 10.3.1.2 (Non-web document)</li> <li>• 11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>• 11.3.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Support	<p>DevExpress WinForms Controls conform to Microsoft .NET platform standards. Review the following property for additional information:  <a href="#">FrameworkElement.Language</a>.</p>
<p><b><u>3.2.3 Consistent Navigation</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.3 (Web)</li> <li>• 10.3.2.3 (Non-web document) – Does not apply</li> <li>• 11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Not Applicable	<p>DevExpress WinForms Controls do not contain web pages.</p>
<p><b><u>3.2.4 Consistent Identification</u></b> (Level AA)</p> <p>Also applies to:</p>	Not Applicable	<p>DevExpress WinForms Controls do not contain web pages.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.4 (Web)</li> <li>• 10.3.2.4 (Non-web document) – Does not apply</li> <li>• 11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.4 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><a href="#">3.3.3 Error Suggestion</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.3 (Web)</li> <li>• 10.3.3.3 (Non-web document)</li> <li>• 11.3.3.3 (Open Functionality Software)</li> <li>• 11.3.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Supports	DevExpress WinForms Controls allow software developers to customize error descriptions.
<p><a href="#">3.3.4 Error Prevention (Legal, Financial, Data)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.4 (Web)</li> </ul>	Supports	DevExpress WinForms Controls include mechanisms to validate user-entered data.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>10.3.3.4 (Non-web document)</li> <li>11.3.3.4 (Open Functionality Software)</li> <li>11.3.3.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<a href="#">3.3.8 Accessible Authentication (Minimum)</a> (Level AA 2.2 only)	Not Applicable	DevExpress WinForms Controls do not include built-in authentication mechanisms.
<a href="#">4.1.3 Status Messages</a> (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.4.1.3 (Web)</li> <li>10.4.1.3 (Non-web document)</li> <li>11.4.1.3 (Open Functionality Software)</li> <li>11.4.1.3 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	Supports	DevExpress WinForms Controls notify users of important changes to content.

**Table 3: Success Criteria, Level AAA**

Notes: Table 3 has been removed because DevExpress WinForms Controls have not been tested for conformance to WCAG Level AAA criteria.

# Revised Section 508 Report

## Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	<p>Most features available across DevExpress WinForms Controls can be accessed with the keyboard alone and announced by assistive technologies.</p> <p>Review the <a href="#">WCAG 2.2</a> Report for exceptions.</p>
302.2 With Limited Vision	Partially Supports	<p>DevExpress WinForms Controls support platform scaling functions and include high contrast skins.</p> <p>Review the following WCAG 2.2 criteria for additional information:</p> <ul style="list-style-type: none"> <li>1.3.3 Sensory Characteristics</li> <li>1.4.3 Contrast (Minimum)</li> <li>1.4.10 Reflow</li> <li>1.4.11 Non-text Contrast</li> <li>1.4.12 Text Spacing</li> <li>1.4.13 Content on Hover or Focus</li> </ul>
302.3 Without Perception of Color	Partially Supports	Information conveyed by color is also available in text. In addition, you can modify contrast.
302.4 Without Hearing	Not Applicable	DevExpress WinForms Controls do not include audio content.
302.5 With Limited Hearing	Not Applicable	DevExpress WinForms Controls do not include audio content.
302.6 Without Speech	Not Applicable	DevExpress WinForms Controls do not require speech to operate or retrieve information.
302.7 With Limited Manipulation	Partially Supports	Most DevExpress WinForms Controls are operable with a keyboard and can be used without a pointing device. Review the following

Criteria	Conformance Level	Remarks and Explanations
		<p>WCAG 2.2 criteria for additional information:</p> <ul style="list-style-type: none"> <li>2.1.1 Keyboard</li> <li>2.1.2 No Keyboard Trap</li> <li>2.1.4 Character Key Shortcuts</li> <li>2.4.7 Focus Visible</li> </ul> <p>Most DevExpress WinForms Controls include automation interfaces used by assistive technologies to interact with a UI element. Review the following WCAG 2.2 criterion for additional information:</p> <ul style="list-style-type: none"> <li>4.1.2 Name, Role, Value</li> </ul> <p>DevExpress WinForms Controls do not use multi-point or path-based gestures and support standard input tools such as keyboards and pointing devices. DevExpress WinForms Controls do not require fine motor control or simultaneous manual operations. Other mouse pointer interaction is implemented according to WCAG 2.2 requirements. Review the following criteria for additional information:</p> <ul style="list-style-type: none"> <li>2.5.1 Pointer Gestures</li> <li>2.5.2 Pointer Cancellation</li> </ul> <p>DevExpress WinForms Controls do not rely on motion actions. Review the following criterion for additional information:</p> <ul style="list-style-type: none"> <li>2.5.4 Motion Actuation</li> </ul>
302.8 With Limited Reach and Strength	Not Applicable	<p>Developers can implement interfaces for users with limited reach and strength:</p> <ul style="list-style-type: none"> <li>- Most DevExpress controls are operable with standard keyboard devices.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
		<ul style="list-style-type: none"> <li>- Sequential focus order allows users to utilize alternative focus-based input devices, such as switches.</li> <li>- UI Automation patterns supported in most DevExpress controls allow assistive technologies to interact with UI components via voice-based commands.</li> </ul> <p>For additional information, review the following criteria:</p> <ul style="list-style-type: none"> <li>- Section 508 – 302.7 With Limited Manipulation</li> <li>- WCAG 2.2 – 4.1.2 Name, Role, Value</li> </ul>
302.9 With Limited Language, Cognitive, and Learning Abilities	Not Applicable	<p>Users with limited language, cognitive, and learning abilities can use text-to-speech assistive tools that rely on information provided by DevExpress WinForms Controls via UI Automation. Review the following WCAG 2.2 sections for additional information:</p> <p>4.2.10 Non-text Content 2.5.3 Label in Name 4.1.2 Name, Role, Value</p> <p>DevExpress controls do not change context on focus or input - reducing the chance of unexpected context change. Review the following WCAG 2.2 sections for additional information:</p> <p>3.2.1 On Focus 3.2.2 On Input</p> <p>DevExpress controls display validation errors and provide validation-related information to assistive tools. Controls contain functionality developers can leverage to implement suggestions when errors</p>



Criteria	Conformance Level	Remarks and Explanations
		<p>occur. Review the following WCAG 2.2 sections for additional information:</p> <p>3.3.1 Error Identification</p> <p>3.3.3 Error Suggestion</p>

## Chapter 4: [Hardware](#)

Notes: These criteria are Not Applicable because the product is not Hardware.

## Chapter 5: [Software](#)

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <a href="#">WCAG 2.2</a> section	See information in WCAG 2.2 section
<a href="#">502 Interoperability with Assistive Technology</a>	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Not Applicable	It is up to software developers to provide user control of accessibility features.
502.2.2 No Disruption of Accessibility Features	Supports	DevExpress WinForms Controls do not disrupt normal operation of platform accessibility features.
<b>502.3 Accessibility Services</b>	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially Supports	<p>Role, state(s), properties, boundary, name, and description of components can be programmatically determined by assistive technologies.</p> <p>For exceptions, review the following <a href="#">WCAG 2.2</a> criterion: 4.1.2 Name, Role, Value</p>

Criteria	Conformance Level	Remarks and Explanations
502.3.2 Modification of Object Information	Partially Supports	<p>States and properties of components can be set programmatically, including through assistive technologies.</p> <p>For exceptions, review the following <a href="#">WCAG 2.2</a> criterion: 4.1.2 Name, Role, Value</p>
502.3.3 Row, Column, and Headers	Partially Supports	<p>DevExpress “table-based” WinForms Controls provide information about cell row and column with exceptions listed in the following WCAG 2.2 criterion: 1.3.1 Info and Relationships</p>
502.3.4 Values	Partially Supports	<p>DevExpress WinForms Controls contain programmatically determinable information about current value, and any set or range of allowable values associated with an object.</p> <p>For exceptions, review the following <a href="#">WCAG 2.2</a> criterion: 4.1.2 Name, Role, Value</p>
502.3.5 Modification of Values	Partially Supports	<p>Element values can be set programmatically, including through assistive technologies.</p> <p>For exceptions, review the following <a href="#">WCAG 2.2</a> criterion: 4.1.2 Name, Role, Value</p>
502.3.6 Label Relationships	Partially Supports	<p>A relationship that a component has as a label for another component, or of being labeled by another component, is programmatically determinable.</p> <p>For exceptions, review the following <a href="#">WCAG 2.2</a> criterion: 2.5.3 Label in Name</p>
502.3.7 Hierarchical Relationships	Partially Supports	<p>DevExpress WinForms Controls provide programmatically determinable information about hierarchical relationships.</p>

Criteria	Conformance Level	Remarks and Explanations
		For exceptions, review the following <a href="#">WCAG 2.2</a> criterion: 1.3.1 Info and Relationships
502.3.8 Text	Supports	DevExpress WinForms Controls provide programmatically determinable information about text objects, text attributes, and the boundary of text rendered to screen.
502.3.9 Modification of Text	Supports	Text that can be set/specified by a user, can be set programmatically, including through assistive technologies.
502.3.10 List of Actions	Partially Supports	A list of all actions that can be executed on an object can be determined programmatically.  For exceptions, review the following <a href="#">WCAG 2.2</a> criterion: 2.1.1 Keyboard, 4.1.2 Name, Role, Value
502.3.11 Actions on Objects	Partially Supports	DevExpress WinForms Controls allow assistive technologies to programmatically execute available actions on objects.  For exceptions, review the following <a href="#">WCAG 2.2</a> criterion: 2.1.1 Keyboard, 4.1.2 Name, Role, Value
502.3.12 Focus Cursor	Partially Supports	DevExpress WinForms Controls expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.  For exceptions, review the following <a href="#">WCAG 2.2</a> criterion: 2.1.1 Keyboard 2.4.3 Focus Order 4.1.2 Name, Role, Value
502.3.13 Modification of Focus Cursor	Partially Supports	DevExpress WinForms Controls allow assistive technologies to programmatically set focus, text insertion point, and selection attributes.

Criteria	Conformance Level	Remarks and Explanations
502.3.14 Event Notification	Partially Supports	DevExpress WinForms Controls partially support event notifications for assistive technologies.  For exceptions, review the following <a href="#">WCAG 2.2</a> criterion: 4.1.3 Status Messages 4.1.2 Name, Role, Value
502.4 Platform Accessibility Features	Not Applicable	DevExpress WinForms Controls do not disrupt standard platform and operating system accessibility features.
<a href="#">503 Applications</a>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	Partially Supports	DevExpress WinForms Controls can obtain and apply font size and color information from operating system settings (including use of the DevExpress high contrast theme). To obtain font scale settings, you can handle Windows system events.
503.3 Alternative User Interfaces	Not Applicable	DevExpress WinForms Controls don't include an alternative user interface that functions as an assistive technology.
<b>503.4 User Controls for Captions and Audio Description</b>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not Applicable	DevExpress WinForms Controls don't play audio or video.
503.4.2 Audio Description Controls	Not Applicable	DevExpress WinForms Controls don't play audio or video.
<a href="#">504 Authoring Tools</a>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing	Partially Supports	Content created by users within the DevExpress <b>RichEdit Control</b> and/or <b>Spreadsheet Control</b> can be consumed by assistive technologies. Software that displays this content must support appropriate accessibility interfaces. In certain instances, you may need to add UI elements (toolbar/Ribbon items) to help users assign assistive information.

Criteria	Conformance Level	Remarks and Explanations
		<p>Examples:</p> <ul style="list-style-type: none"> <li>- To specify ALT text for graphic objects in the <b>RichEditControl</b>, add an action that programmatically sets the <b>Shape.AltText</b> property.</li> <li>- To specify ALT text for charts in the <b>SpreadsheetControl</b>, add an action that programmatically sets the <b>Chart.Name</b> property.</li> </ul>
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Partially Supports	<b>GridControl</b> , which can be used as a component of an authoring tool, does not preserve information about image ALT text when exported to XLS or XLSX.
504.2.2 PDF Export	Partially Supports	<p>DevExpress WinForms controls that provide authoring capabilities (such as <b>SpreadsheetControl</b> &amp; <b>RichEditControl</b>) export data to PDF according to the PDF/A and PDF/UA standards.</p> <p>DevExpress WinForms <b>GridControl</b> can be used as a component of an authoring tool. It does not preserve the following information during PDF export:</p> <ul style="list-style-type: none"> <li>• Information about table structure</li> <li>• Image ALT text</li> <li>• Document title</li> </ul>
504.3 Prompts	Does Not Support	DevExpress WinForms authoring tool components do not prompt authors to create accessible content.
504.4 Templates	Not Applicable	DevExpress WinForms authoring tool components do not provide templates.

## Chapter 6: Support Documentation and Services

Notes: This document describes accessibility of DevExpress WinForms Controls available for end users. Criteria in this section are Not Applicable, because DevExpress does not provide documentation or support services for end users.

# EN 301 549 Report

## Chapter [4: Functional Performance Statements \(FPS\)](#)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	Most features in DevExpress WinForms Controls can be reached with the keyboard alone and announced by assistive technologies.  Review <a href="#">WCAG 2.2</a> for exceptions.
4.2.2 Usage with limited vision	Supports	DevExpress WinForms Controls support platform scaling functions and include high contrast skins/application themes.  Review the following WCAG 2.2 criteria for additional information: - 1.3.3 Sensory Characteristics - 1.4.3 Contrast (Minimum) - 1.4.10 Reflow - 1.4.11 Non-text Contrast - 1.4.12 Text Spacing - 1.4.13 Content on Hover or Focus
4.2.3 Usage without perception of colour	Supports	Information conveyed by color is also available in text. Additionally, you can modify contrast.
4.2.4 Usage without hearing	Not Applicable	DevExpress WinForms Controls do not include audio content.
4.2.5 Usage with limited hearing	Not Applicable	DevExpress WinForms Controls do not include audio content.
4.2.6 Usage with no or limited vocal capability	Not Applicable	DevExpress WinForms Controls do not require speech to operate or retrieve information.
4.2.7 Usage with limited manipulation or strength	Not Applicable	DevExpress WinForms Controls support standard input tools such as keyboards and pointing devices. Controls do not require fine motor control or simultaneous manual operations and do not have special requirements in strength.

Criteria	Conformance Level	Remarks and Explanations
		Review <a href="#">WCAG 2.2</a> for exceptions.
4.2.8 Usage with limited reach	Partially Supports	<p>Software developers can implement interfaces for users with limited reach and strength:</p> <ul style="list-style-type: none"> <li>- Most DevExpress components are operable with standard keyboard devices.</li> <li>- Sequential focus order allows users to utilize alternative focus-based input devices, such as switches.</li> <li>- UI Automation patterns supported across most DevExpress Controls allow assistive technologies to interact with UI components via voice-based commands.</li> </ul> <p>For additional information review the following criteria:</p> <ul style="list-style-type: none"> <li>- Section 508 – 302.7 With Limited Manipulation</li> <li>- WCAG 2.2 – 4.1.2 Name, Role, Value</li> </ul>
4.2.9 Minimize photosensitive seizure triggers	Not Applicable	DevExpress WinForms Controls do not include flashing content.
4.2.10 Usage with limited cognition, language or learning	Supports	<p>Users with limited language, cognitive, and learning abilities can use text-to-speech assistive tools that rely on information provided by DevExpress Controls via UI Automation. Review the following WCAG 2.2 criteria for additional information:</p> <p>1.1.1 Non-text Content 2.5.3 Label in Name 4.1.2 Name, Role, Value</p> <p>DevExpress controls do not change context during focus or input and thus reduce the chance of unexpected context change. Review the following WCAG 2.2 criteria for additional information:</p>



Criteria	Conformance Level	Remarks and Explanations
		3.2.1 On Focus 3.2.2 On Input  DevExpress WinForms Controls display validation errors and provide error information to assistive technologies. Controls include functionality software developers can leverage to implement suggestions when errors occur. Review the following WCAG 2.2 criteria for additional information:  3.3.1 Error Identification 3.3.3 Error Suggestion
4.2.11 Privacy	Not Applicable	DevExpress WinForms Controls do not provide any privacy features.

## Chapter [5: Generic Requirements](#)

Notes: Subsections 5.1 and 5.5 are not applicable, as these sub sections apply to closed functionality systems and operable parts of information systems.

Criteria	Conformance Level	Remarks and Explanations
5.2 Activation of accessibility features	Not Applicable	DevExpress does not provide documentation on accessibility features for end users.
5.3 Biometrics	Not Applicable	DevExpress WinForms Controls do not use biological characteristics for user identification or for control of ICT.
5.4 Preservation of accessibility information during conversion	Partially Supports	DevExpress WinForms Controls may not preserve all available accessible information when you save data to PDF, DOCX, HTML, and other file formats.
<b>5.6 Locking or toggle controls</b>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.6.1 Tactile or auditory status	Supports	DevExpress WinForms Controls that can be used as locking or toggle controls raise events during state change. You can handle these events to play a sound.
5.6.2 Visual status	Supports	DevExpress WinForms Controls that can be used as locking or toggle controls include properties designed to change appearance based on state.
5.7 Key repeat	Not Applicable	DevExpress WinForms Controls do not implement repeat key functionality. This option is available through the operating system.
5.8 Double-strike key acceptance	Not Applicable	DevExpress WinForms Controls do not implement double-strike key functionality. This option is available through the operating system.
5.9 Simultaneous user actions	Not Applicable	DevExpress WinForms Controls do not include functionality requiring multiple simultaneous actions.

## **Chapter [6: ICT with Two-Way Voice Communication](#)**

Notes: Chapter 6 criteria are Not Applicable because the product is not ICT with two-way voice communication.

## **Chapter [7: ICT with Video Capabilities](#)**

Notes: Chapter 7 criteria are Not Applicable because the product is not ICT with video capabilities.

## **Chapter [8: Hardware](#)**

Notes: Chapter 8 criteria are Not Applicable because the product is not Hardware.

## **Chapter [9: Web](#) (see [WCAG 2.2 section](#))**

## **Chapter [10: Non-Web Documents](#)**

Notes: Chapter 10 criteria are Not Applicable because the product is not non-web documents.

## Chapter [11: Software](#)

Criteria	Conformance Level	Remarks and Explanations
<b>11.0 General (informative)</b>	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See <a href="#">WCAG 2.x</a> section	See information in WCAG 2.x section
<b>11.5 Interoperability with assistive technology</b>	Heading cell – no response required	Heading cell – no response required
<b>11.5.1 Closed functionality</b>	Heading cell – no response required	Heading cell – no response required
<b>11.5.2 Accessibility services</b>	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	DevExpress WinForms Controls are not assistive technologies.
11.5.2.5 Object information	Partially Supports	<p>Role, state(s), properties, boundary, name, and component descriptions can be programmatically determined by assistive technologies.</p> <p>For exceptions, review the following WCAG 2.2 criterion: 4.1.2 Name, Role, Value</p>
11.5.2.6 Row, column, and headers	Partially Supports	<p>Role, state(s), properties, boundary, name, and description of components can be programmatically determined by assistive technology.</p> <p>For exceptions, review the following WCAG 2.2 criterion: 4.1.2 Name, Role, Value</p>

Criteria	Conformance Level	Remarks and Explanations
11.5.2.7 Values	Partially Supports	<p>DevExpress WinForms Controls contain programmatically determinable information on the current value, and any set or range of allowable values associated with an object.</p> <p>For exceptions, review the following WCAG 2.2 criterion: 4.1.2 Name, Role, Value</p>
11.5.2.8 Label relationships	Partially Supports	<p>A relationship that a component has as a label for another component, or of being labeled by another component, is programmatically determinable.</p> <p>For exceptions, review the following WCAG 2.2 criterion: 2.5.3 Label in Name</p>
11.5.2.9 Parent-child relationships	Partially Supports	<p>DevExpress WinForms Controls provide programmatically determinable information about hierarchical relationships.</p> <p>For exceptions, review the following WCAG 2.2 criterion: 1.3.1 Info and Relationships</p>
11.5.2.10 Text	Supports	<p>DevExpress WinForms Controls provide programmatically determinable information regarding the content of text objects, text attributes, and the boundary of text rendered to the screen.</p>
11.5.2.11 List of available actions	Partially Supports	<p>A list of all actions that can be executed on an object can be determined programmatically.</p> <p>For exceptions, review the following WCAG 2.2 criteria: 2.1.1 Keyboard, 4.1.2 Name, Role, Value</p>
11.5.2.12 Execution of available actions	Partially Supports	<p>DevExpress WinForms Controls allow assistive technologies to programmatically execute available actions on objects.</p> <p>For exceptions, review the following WCAG 2.2 criteria:</p>

Criteria	Conformance Level	Remarks and Explanations
		2.1.1 Keyboard, 4.1.2 Name, Role, Value
11.5.2.13 Tracking of focus and selection attributes	Partially Supports	<p>DevExpress WinForms Controls expose information and mechanisms necessary to track focus, text insertion point, and selection attributes for user interface components.</p> <p>For exceptions, review the following WCAG 2.2 criteria:</p> <p>2.1.1 Keyboard 2.4.3 Focus Order 4.1.2 Name, Role, Value</p>
11.5.2.14 Modification of focus and selection attributes	Partially Supports	DevExpress WinForms Controls allow assistive technologies to programmatically set focus, text insertion point, and selection attributes.
11.5.2.15 Change notification	Partially Supports	<p>DevExpress WinForms Controls partially support event notifications for assistive technologies.</p> <p>For exceptions, review the following <a href="#">WCAG 2.2</a> criteria:</p> <p>4.1.3 Status Messages 4.1.2 Name, Role, Value</p>
11.5.2.16 Modifications of states and properties	Supports	DevExpress WinForms Controls: states and properties that can be modified by a user, can also be modified programmatically, including the use of assistive technologies.
11.5.2.17 Modifications of values and text	Supports	DevExpress WinForms Controls: text that can be set by a user, can also be set programmatically, including the use of assistive technologies.
<b>11.6 Documented accessibility usage</b>	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	It is up to software developers to provide user control of accessibility features.

Criteria	Conformance Level	Remarks and Explanations
11.6.2 No disruption of accessibility features	Supports	DevExpress WinForms Controls do not disrupt normal operation of platform accessibility features.
11.7 User preferences	Partially Supports	DevExpress WinForms Controls inherit font settings from the user agent.
<b>11.8 Authoring tools</b>	Heading cell – no response required	Heading cell – no response required
<b>11.8.1 Content technology</b>	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Partially Supports	<p>Content generated by users within the DevExpress WinForms <b>RichEdit</b> and <b>Spreadsheet</b> controls can be consumed by assistive technologies. Software that displays this content must support appropriate accessibility interfaces. In certain instances, you may need to add UI elements (toolbar/Ribbon items) to help users assign assistive information.</p> <p>Examples:</p> <ul style="list-style-type: none"> <li>- To specify ALT text for graphic objects in the <b>RichEdit</b> control, add an action that programmatically sets the <b>Shape.AltText</b> property.</li> <li>- To specify ALT text for charts in the <b>Spreadsheet</b> control, add an action that programmatically sets the <b>Chart.Name</b> property.</li> </ul>
11.8.3 Preservation of accessibility information in transformations	Partially Supports	DevExpress WinForms authoring tool components preserve accessibility information in associated output during restructuring transformations or re-coding transformations.
11.8.4 Repair assistance	Does Not Support	DevExpress WinForms authoring tools do not include functionality to help users repair accessibility information.
11.8.5 Templates	Not Applicable	DevExpress WinForms authoring tool components do not provide templates.

## **Chapter [12: Documentation and Support Services](#)**

Notes: Chapter 12 criteria are Not Applicable, because DevExpress does not provide documentation for application end users.

## **Chapter [13: ICT Providing Relay or Emergency Service Access](#)**

Notes: Chapter 13 criteria are Not Applicable because the product is not ICT providing relay or emergency service access.

## Legal Disclaimer

*This document is for informational purposes only. This document does not constitute a legal claim of compliance. DEVELOPER EXPRESS INC MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.*

*The information contained in this document represents the current view of Developer Express Inc on accessibility-related issues as of the date of publication. Because Developer Express Inc must respond to changing market conditions, statements made within this document should not be interpreted to be a commitment on the part of Developer Express Inc. Developer Express Inc does not and cannot guarantee the accuracy of any information contained within this document on or after the date of publication.*

*© 1998-2025 Developer Express Inc. All rights reserved. Developer Express logo is a trademark of Developer Express in the United States and/or other countries. The names of third parties and/or third-party products mentioned herein may be the trademarks of their respective owners. Developer Express Inc updates its website and provides new information about the accessibility of products as that information becomes available.*